

New Nursery Literature

Please obtain these articles from your local forestry library or literature service if at all possible. Numbered articles can also be ordered directly, using the Literature Order Form on the last page - just circle the appropriate number and return the form to me. These free copies are a technology-transfer service of USDA Forest Service, State and Private Forestry. Items bordered with asterisks are copyrighted and require a fee for each copy, so you will only be sent the title page and abstract. If you desire the entire article, follow the ordering instructions that follow the abstract.

Special Order (S) articles or publications must be ordered directly from the publisher. Prices and ordering instructions follow each listing.

Bareroot Production

1. ***Covariances between morphological characteristics in bareroot Pinus sylvestris nursery stock.*** Jalkanen, A. Scandinavian Journal of Forest Research 8(4):540-549. 1993.
2. ***Variability of morphological characteristics in bareroot Pinus sylvestris nursery stock.*** Jalkanen, A.; Rikala, R.; Smolander, H. Scandinavian Journal of Forest Research 7(1): 83-97. 1992.
6. ***Family and medical leave.*** Gorman, R. American Nurseryman 178(8):90-92, 94-99. 1993.
7. ***Maximize your meetings.*** Kehoe, K. R. American Nurseryman 178(10):64-66, 6869. 1993.
8. ***The price is right? Consider your competition, expenses when valuating your merchandise.*** Brumfield, R. G. Greenhouse Manager 12(5):94-97. 1993.
9. ***Pricing for profit.*** Barton, S. S. American Nurseryman 178(1):124-129. 1993.
10. ***Think about it: how would you like to live next to your greenhouses?*** Bartok, J. W., Jr. Greenhouse Manager 12(9):83. 1993. Consideration of visual appearance, traffic, noise, lighting, odor, runoff, and safety will make for more pleasant neighborhood relationships.
11. ***Working with a safety net.*** Becker, T. B. American Nurseryman 178(8):56-63. 1993.

Business Management

3. ***The computer connection: software packages for growers, landscapers and garden center operators.*** Schafer, R. American Nurseryman 178(1):69-70, 72, 74, 76, 78, 80, 82, 84, 86, 87. 1993.
4. ***Contract growing: the benefits and the drawbacks.*** Garbisch, E. Wetland Journal 5(2):17, 20. 1993.
5. ***Control by code.*** Moller- Seiler, L.; Higginbotham, J. S. American Nurseryman 178(1):89-94, 96-98. 1993. How a West Coast grower uses bar code scanners to improve and simplify inventory control.

Container Production

12. **Calculating filled and empty cells based on number of seeds sown per cell: a microcomputer application.** Wenny, D. L. Tree Planters' Notes 44(2):49-52. 1993.
13. **Computers may help you determine your ideal greenhouse environment.** Bartok, J. W., Jr. Greenhouse Manager 12(4):139. 1993.
14. **Cupric hydroxide-treated containers affect growth and flowering of annual and perennial bedding plants.** Arnold, M. A.; Airhart, D. L.; Davis, W. E. Journal of Environmental Horticulture 11(3):106-110. 1993.
15. **Germination math: calculating the number of seeds necessary per cavity for a given number of live seedlings.** Schwartz, M. Tree Planters' Notes 44(1):19-20. 1993.
16. **How we achieve better roots with coated containers.** Appleton, B. L. Nursery Manager 9(7):90-92. 1993.
17. **Nursery production alternatives for reduction or elimination of circling tree roots.** Appleton, B. L. Journal of Arboriculture 19(6):383-388. 1993. Discusses in-ground fabric, rigid plastic and "pot-in-pot" containers, low-profile, soil sock and copper-treated containers.
18. **Root distribution and mineral uptake of coarse-rooted trees grown in cupric hydroxide-treated containers.** Arnold, M. A; Struve, D. K. HortScience 28(10):988-992. 1993.

Diverse Species

19. **Field stratification of antelope bitterbrush seeds.** Young, J. A.; Wight, J. R.; Mowbray, J. E. Journal of Range Management 46:325-330. 1993.
20. **Seed dormancy in the Colorado Plateau shrub *Mahonia fremontii* (Berberidaceae) and its ecological and evolutionary implications.** Baskin, C. C.; Baskin, J. M.; Meyer, S. E. Southwestern Naturalist 38(2):91-99. 1993.
21. **Seeding month and seed soaking affect buffalograss establishment.** Fry, J.; Upham, W.; Leuthold, L. HortScience 28(9):902-903. 1993.
22. **Stratification improves seed germination of five native wildflower species.** Bratcher, C. B.; Dole, J. M.; Cole, J. C. HortScience 28(9):899-901. 1993.

Fertilization and Nutrition

23. **The amelioration of *Pinus patula* mortality on former agricultural sites through fertilisation: a bioassay and greenhouse study.** Noble, A. D.; Schumann, A. W. South African Forestry Journal 164:35-41. 1993.
24. **Composted turkey litter: 11. Effect on plant growth.** Tyler, H. H.; Warren, S. L.; Bilderback, T. E.; Perry, K. B. Journal of Environmental Horticulture 11(3):137-141. 1993.
25. **Controlled-release fertilizers affect nitrate nitrogen runoff from container plants.** Yeager, T.; Cashion, G. 1-lortTechnology 3(2):174-177. 1993.

26. *Fertilization affects growth and incidence of grey mold on container-grown giant sequoia.* Vancon, S. Tree Planters' Notes 44(2):68-72. 1993.
- *27* *Growth and nutrition of birch seedlings in relation to potassium supply rate.* Ericsson, T.; Kahr, M. Trees: Structure and Function 7:78-85. 1993.
28. *Influence of gel additives on nitrate, ammonium, and water retention and tomato growth in a soilless medium.* Bres, W.; Weston, L. A. HortScience 28(10):1005-1007. 1993.
29. *Nitrate loading to the soil profile underlying two containerized nursery crops supplied controlled release fertilizer.* Brand, M. H.; McAvoy, R. J.; Corbett, E. G. Journal of Environmental Horticulture 11(2):82-85. 1993.
30. *Prevent greenhouse crop problems before they happen with tissue tests.* Erwin, J. Greenhouse Manager 12(7):113-114. 1993.
- *31* *Relationship of the ratio of chlorophyll a to chlorophyll b and Douglas-fir seedling nutrient status.* Bracher, G. A.; Murtha, P. A. Canadian Journal of Forest Research 23(8):1655-1662. 1993.
- *32* *Relationships between stem structure and bending strength in Pinus radiata seedlings.* Downes, G. M.; Turvey, N. D. Trees: Structure and Function 7:86-91. 1993.
33. *Response of four ornamental shrubs to container substrate amended with two sources of raw paper mill sludge.* Chong, C.; Cline, R. A. HortScience 28(8):807-809. 1993.
34. *Soil, plant and water analysis.* Dawson, J. American Nurseryman 178(10): SO-53. 1993. An accurate assessment of your plants' growing conditions begins with good samples.
35. *Understanding slow release fertilizers.* Barnett, C. The Digger 37(7):29-31. 1993.

General and Miscellaneous

36. *AgTilPS: a customized voice-mail system for delivering lawn, garden, and horticulture information to the public.* Legg, D. E.; Davis, R. L.; Buk, J. P. HortTechnology 3(2):245-248. 1993.
37. *At the mercy of the weather.* Polien, N. Greenhouse Grower 11(5):38-39. 1993. Software programs and services that offer weather forecasts can help you be prepared for whatever Mother Nature may have in store.
38. *The Conservation Reserve Program: status, future, and policy options.* Osborn, T. Journal of Soil and Water Conservation 48(4):271-279. 1993.
39. *Dry erase boards - an excellent screen for slide presentations.* Costello, L. R. HortTechnology 3(2):253. 1993.
40. *Ecology, environmentalism and green religion.* Kimmins, J. P. Forestry Chronicle 69(3):285-289. 1993.
41. *An experimental design for outplanting nursery trials on heterogeneous sites.* South, D. B.; Foster, G. S. South African Forestry Journal 165:41-45. 1993.

42. ***The future use and development of expert system technology in horticulture.*** Crassweller, R. M.; Travis, J. W.; Heinemann, P. H.; Rajotte, E. G. HortTechnology 3(2):203-205. 1993.
- *43* ***A multi-attribute preference model for evaluating the reforestation chain alternatives of a forest stand.*** Kangas, J. Forest Ecology and Management 59(3-4):271-288. 1993.
- *44* ***Repeated measures in randomized block and split plot experiments.*** Gumpertz, M. L.; Brownie, C. Canadian Journal of Forest Research 23(4):625-639. 1993.
45. ***Speaking through translators.*** Grierson, B. HortTechnology 3(2):253-254. 1993.
46. ***Using a computer spreadsheet and compiler to extend growth models to greenhouse growers.*** Wulster, G. J. HortTechnology 3(2):230-233. 1993.

Genetics and Tree Improvement

- *47* ***Early selection of black spruce using physiological and morphological criteria.*** Sulzer, A. M.; Greenwood, M. S.; Livingston, W. H. Canadian Journal of Forest Research 23(4):657- 664. 1993.
- *48* ***Family composition of Douglas-fir nursery stock as influenced by seed characters, mortality, and culling practices.*** St. Clair, J. B.; Adams, W. T. New Forests 7(4):319-329. 1993.
- *49* ***Genetic control of bud phenology in pole-size trees and seedlings of coastal Douglas-fir.*** Li, P.; Adams, W. T. Canadian Journal of Forest Research 23(6):1043-1051. 1993.

50 ***Geographic variation of grand fir (*Abies grandis*) in the Pacific coast region: 10 year results from a provenance trial.*** Xie, C. Y.; Ying, C. C. Canadian Journal of Forest Research 23(6):1065-1072. 1993.

51 ***Growth and phenology of 1 year-old maritime pine (*Pinus pinaster*) seedlings under continuous light: implications for early selection.*** Lascoux, D. M.; Kremer, A.; Dormling, I. Canadian Journal of Forest Research 23(7):1325-1336. 1993.

52 ***Realized gains from breeding *Pinus pinaster*.*** Butcher, T. B.; Hopkins, E. R. Forest Ecology and Management 58(34):211-231. 1993.

53 ***Relationships among seed weight components, seedling growth traits, and predicted field breeding values in slash pine.*** Surles, S. E.; White, T. L.; Hodge, G. R.; Duryea, M. L. Canadian Journal of Forest Research 23(8):1550-1556. 1993.

54. ***Thirty-seven year performance of loblolly pine seed sources in eastern Maryland.*** Schmidling, R. C.; Froelich, R. C. Forest Science 39(4):706-721. 1993.

Mycorrhizae and Beneficial Microorganisms

- *55* ***The ability of 16 ectomycorrhizal fungi to increase growth and phosphorus uptake of *Eucalyptus globulus* Labill. and *E. diversicolor* F. Muell.*** Burgess, T. L; Malajczuk, N.; Grove, T. S. Plant and Soil 153(2):155-164. 1993.
- *56* ***Application of endomycorrhizae to commercial production of *Rhododendron* microplants.*** Lemoine, M. C.; Gianinazzi, S.; Gianinazzi-Pearson, V. Agronomie 12(10):881-885. 1992.

- *57* ***Avian dispersal of Frankia.*** Paschke, M. W.; Dawson, J. O. Canadian Journal of Botany 71(8):1138-1131. 1993. Some bird species can transport Frankia, possibly by moving soil for nest building and also by other unknown mechanisms.
- *58* ***Comparisons of vesicular-arbuscular mycorrhizal species and inocula formulations in a commercial nursery and on diverse Florida beaches.*** Sylvia, D. M.; Jarstfer, A. G.; Vosatka, M. Biology and Fertility of Soils 16(2):139-144. 1993.
- *59* ***Ectomycorrhizae and growth of Douglas-fir seedlings preinoculated with Rhizophagus vinicolor and outplanted on eastern Vancouver Island.*** Berch, S. M.; Roth, A. L. Canadian Journal of Forest Research 23(8):1711-1715. 1993.
60. ***Effect of drought on Picea sitchensis seedlings inoculated with mycorrhizal fungi.*** Lehto, T. Scandinavian Journal of Forest Research 7(2):177-182. 1992.
- *61* ***Effects of Frankia on field performance of Alnus clones and seedlings.*** Hendrickson, O. Q.; Burgess, D.; Perinet, P.; Tremblay, F.; Chatatpaul, L. Plant and Soil 150(2):295-302. 1993.
- *62* ***Growth and nutrition of nonmycorrhizal and mycorrhizal pitch pine (Pinus rigida) seedlings under phosphorus limitation.*** Gummung, J. R. Tree Physiology 13(2):173-187. 1993.
- *63* ***Interactions between mycorrhizae and diseases caused by soil-borne fungi.*** Perrin, R. Soil Use and Management 6(4):189-195. 1990.
64. ***Nitrogen and phosphorus nutrition affects the growth parameters and mycorrhizal symbiosis of northern red oak seedlings.*** Reber, R. T.; Pope, P. E. IN: Biennial southern silvicultural research conference, proceedings, 7th, p.343-350. USDA Forest Service, Southern Forest Experiment Station, General Technical Report 93. 1993.
- *65* ***Nitrogen translocation between Alnus glutinosa (L.) Gaertn. seedlings inoculated with Frankia sp. and Pinus contorta Doug. ex Loud seedlings connected by a common ectomycorrhizal mycelium.*** Arnebrant, K.; Ek, H.; Finlay, R. D.; Soderstrom, B. New Phytologist 124(2):231-242. 1993.
- *66* ***Solar irradiance and the development of endomycorrhizal green ash seedlings.*** Borges, R. G.; Chaney, W. R. Tree Physiology 13(3):227-238. 1993.
- *67* ***Temporal dynamics of ectomycorrhizal populations and seedling characteristics on red pine (Pinus resinosa).*** Wu, Y.; Gale, M. R.; Cattelino, P. J.; Richter, D. L.; Bruhn, J. N. Canadian Journal of Forest Research 23(5):810-815. 1993.
68. ***Vesicular-arbuscular mycorrhizae of western redcedar in container nurseries and on field sites after slash burning.*** Berch, S. M.; Deom, E.; Roth, A.; Beese, W. J. Tree Planters' Notes 44(1):33-37. 1993.
- SO. ***Effects of mycorrhizal fungi on quality of nursery stock and plantation performance in the southern interior of British Columbia.*** Hunt, G. A. British Columbia Ministry of Forests and Forestry Canada, FRDA Report 185. 12 p. 1992. ORDER FROM: Forestry Canada, Pacific Forestry Centre, 506 West Burnside Road, Victoria, BC V8Z 1 MS Canada. Free.

Nursery Structures and Equipment

69. **Characterization of microclimate in mist and non-mist propagation systems.** Newton, A. C.; Jones, A. C. Journal of Horticultural Science 68(3):421-430. 1993.
70. **Cooling without fans.** Bartok, J. W., Jr. Greenhouse Grower 11(8):37-38. 1993.
71. **How to select the right fan and install it properly.** Bartok, J., Jr. Greenhouse Grower 11(4):20-21, 23. 1993.
72. **A look at: flat fillers,** potting units. Roskens, L. Greenhouse Manager 12(8):91-94. 1993.
73. **A look at: greenhouse lighting.** Mustard, R. Greenhouse Manager 12(9):70-76. 1993.
74. **A look at: infrared heating systems.** Greenhouse Manager 12(5):92-93. 1993.
- *75 * **Measurement of seedling growth rate by machine vision.** Howarth, M. S.; Stanwood, P. C. Transactions of the American Society of Agricultural Engineers 36(3):959-963. 1993.
76. **NGMA adopts new standards for insect screening.** Gray, H. Greenhouse Grower 11(9):115-116. 1993.
77. **Portable soil moisture meters.** Faber, B.; Downer, J.; Yates, L. HortTechnology 3(2):195-197. 1993.
78. **Pull the shade on rising energy costs.** South, L. Greenhouse Grower 11(4):25, 2728. 1993. Using an automatic, computer-controlled system that blows polystyrene pellets between double layers of glazing.
79. **Seedling counter field tests.** Gasvoda, D.; Herzberg, D. Tree Planters' Notes 44(1):812. 1993.
80. **Testing furnace or boiler efficiency can help minimize your energy costs.** Bartok, J. W., Jr. Greenhouse Manager 12(5):116- 117. 1993.
- SO. **Refrigeration and controlled atmosphere storage for horticultural crops.** Bartsch, J. A.; Blanpied, G. D. Northeast Regional Agricultural Engineering Service, NRAES22. 44 p. 1990. ORDER FROM: Northeast Regional Agricultural Engineering Service, 152 Riley-Robb Hall, Cooperative Extension, Ithaca, NY 14853. Price: \$7.00.

Outplanting Performance

81. **Covariate analysis of northern red oak seedling growth.** Kaczmarek, D. J.; Pope, P. E. IN: Biennial southern silvicultural research conference, proceedings, 7th, p.351-356. USDA Forest Service, Southern Forest Experiment Station, General Technical Report 93. 1993.
82. **Cultural, environmental, and genetic factors interact to affect performance of planted shortleafpine.** Hallgren, S. W.; Tauer, C. G.; Weeks, D. L. Forest Science 39(3):478-498. 1993.
83. **Effect of root form on 10 year survival and growth of planted Douglas-fir trees.** Haase, D. L.; Batdorff, J. H.; Rose, R. Tree Planters' Notes 44(2):53-57. 1993.
- *84* **Field survival and early height growth of Douglas-fir rooted cuttings: relationship to stem diameter and root system quality.** Ritchie, G. A.; Tanaka, Y.; Meade, R.; Duke, S. D. Forest Ecology and Management 60:237-256. 1993.

- *85* ***Growth and root morphology of planted and naturally- regenerated Douglas fir and lodgepole pine.*** Halter, M. R.; Chanway, C.P. Annales des Sciences Forestieres 50(1):71-77. 1993.
86. ***Hackberry seed sources for planting in the southern Great Plains.*** Anderson, S.; Tauer, C. G. Tree Planters' Notes 44(2): 7882. 1993.
87. ***Handling and planting methods influence field performance of red pine ten years after planting.*** Paterson, J. M. Forestry Chronicle 69(5):589-593. 1993.
88. ***Integration of nursery practices with site preparation.*** Schrock, P. D.; South, D. B.; Mitchell, R. J. IN: Biennial southern silvicultural research conference, proceedings, 7th, p.307-315. USDA Forest Service, Southern Forest Experiment Station, General Technical Report 93. 1993. There may be opportunities to reduce regeneration costs by using better seedlings rather than applying a high level of site preparation and using marginal seedlings.
89. ***Jack pine establishment in Ontario: 5 -year comparison of stock types + bracke scarification, mounding, and chemical site preparation.*** Sutton, R. F.; Weldon, T. P. Forestry Chronicle 69(5):545-553. 1993.
90. ***Lifting date and storage duration affect root growth potential and field survival of shortleaf pine seedlings.*** Brissette, J. C.; Barnett, J. P. IN: Biennial southern silvicultural research conference, proceedings, 7th, p.263-268. USDA Forest Service, Southern Forest Experiment Station, General Technical Report 93. 1993.
91. ***Performance of northern red oak planting stock.*** Zaczek, J. J.; Steiner, K. C.; Bowersox, T. W. Northern Journal of Applied Forestry 10(3):105-111. 1993.
92. ***Polymer root dip increases survival of stressed bareroot seedlings.*** Alm, A.; Stanton, J. Northern Journal of Applied Forestry 10(2):90-92. 1993.
93. ***Top pruning improves field performance of blue oak seedlings.*** McCreary, D.; Tecklin, J. Tree Planters' Notes 44(2):73-77. 1993.
94. ***Treeshelters for nursery plants may increase growth, be cost effective.*** Svhra, P.; Burger, D. W.; Harris, R. California Agriculture 47(4):13-16. 1993.
95. ***Trials of mixed-conifer plantings for increasing diversity in the lodgepole pine types.*** Cole, D. M. USDA Forest Service, Intermountain Research Station, Research Note INT-412. 9 p. 1993.

Pest Management

- *96* ***Acceptability of thiram-treated conifers to snowshoe bares.*** Rangen, S. A.; Hawley, A. W. L.; Hudson, R. Canadian Journal of Forest Research 23(7):1314-1320. 1993.
97. ***The best way to manage diseases: be sure to start clean and stay clean.*** Chase, A. R. Greenhouse Manager 12(6):135-137. 1993.
- *98* ***Binucleate Rhizoctonia isolates control damping-off caused by Pythium ultimum var. sporangiiferum, and promote growth, in Capsicum and Celosia seedlings in pasteurized potting medium.*** Harris, A. R.; Schisler, D. A.; Ryder, M. H. Sooil Biology and Biochemicstry 25(7):909-914. 1993.

- *99* ***Biocontrol of Botrytis cinerea in strawberry leaves.*** Sutton, J. C.; Peng, G. Phytopathology 83(6):615-621. 1993.
- *100* ***Biological control of Pythium induced damping-off of beetroot (*Beta vulgaris*) in the glasshouses.*** Dodd, S. L.; Stewart, A. New Zealand Journal of Crop and Horticultural Science 20(4):421-426. 1992.
101. ***Conifer seedling root fungi and root dieback in Finnish nurseries.*** Lilja, A.; Lilja, S.; Poteri, M.; Ziren, L. Scandinavian Journal of Forest Research 7(4):547-556. 1992.
102. ***Consider fungus gnat control early in your crop production programs.*** Lindquist, R K. Greenhouse Manager 12(4):133-135. 1993.
- * 103 * ***Current status of biological control of soil-borne diseases.*** Campbell, R. Soil Use and Management 6(4):173-178. 1990.
104. ***Decision making for wildlife damage management.*** Slate, D.; Owens, R.; Connolly, G.; Simmons, G. North American Wildlife and Natural Resources Conference, transactions, 1992, 57:51-62. 1993.
105. ***Dimethoate controls cone maggots in tamarack seed orchards.*** Sweeney, J.; Tosh, K.; MacKinnon, W. Forestry Canada - Maritimes Region, Technical Note 284. 6 p. 1993.
- * 106* ***Dispersal of Phytophthora cinnamomi through lateritic soil by laterally flowing subsurface water.*** Kinal, J.; Shearer, B. L.; Fairman, R. G. Plant Disease 77(11):10851090. 1993.
107. ***Don't overlook horticultural oils; they give control with minimal risk.*** Robb, K. Greenhouse Manager 12(9):81. 1993.
108. ***Dwarfing of bareroot western larch seedlings, USDA Forest Service Nursery, Coeur d'Alene, Idaho.*** James, R. L. USDA Forest Service, Northern Region, Report 917. 14 p. 1991.
- * 109* ***The effect of late season damage on the apical bud development of Scots pine seedlings.*** Kyto, M. New Forests 7(3): 275286. 1993.
110. ***First report of *Sirococcus conigenus* seedborne in Norway spruce.*** Motta, E.; Annesi, T.; Forti, E. Plant Disease 77(11): 1169. 1993.
111. ***The first step to eliminating root rot: you must make a proper diagnosis.*** Chase, A. R. Greenhouse Manager 12(9):82. 1993.
- * 112* ***Foliar blight and root rot of container-grown giant redwood caused by *Phytophthora citrophthora*.*** Sandlin, C. M. Plant Disease 77(6):591-594. 1993.
113. ***Gnatrol: the high-efficiency, low-risk alternative.*** Abbott Laboratories. Greenhouse Grower 11(5):67-70. 1993. A biological larvicide for fungus gnats.
114. ***Guide for diagnosing plant problems.*** Carlson, W. Greenhouse Grower 11(4):1617, 19. 1993.
115. ***Have you thought about biological whitefly control? Pesticide alternatives can save you money.*** Heinz, K. M.; Parrella, M. P. Greenhouse Manager 12(5):62,64-66, 69. 1993.
- * 116* ***Host plant traits associated with resistance of ponderosa pine to the sawfly, *Neodiprion fulviceps*.*** Wagner, M. R.; Zhang, Z. Y. Canadian Journal of Forest Research 23(5):839-845. 1993.

- * 117* ***Identification of Phytophthora nicotianae on the aerial portion of eucalypt seedlings.*** Belisario, A. European Journal of Forest Pathology 23(2):85-91. 1993.
118. ***IPM reduces pesticide use in the nursery.*** Flint, M. L.; Dreistadt, S. H.; Zagory, E. M.; Rosetta, R. California Agriculture 47(4):4-7. 1993. Complete control of pests is not required to sell certain plants, as customers ignored or did not recognize some types of pest damage.
119. ***Knowledge and integrated control can help avoid botrytis outbreaks.*** Barnes, L. W. Greenhouse Manager 12(8):101. 1993.
120. ***Learn the how-to basics of screening for your insect exclusion program.*** Robb, K. Greenhouse Manager 12(7):116-117. 1993.
121. ***Lygus bugs cause latent bud disorders in Pinus sylvestris L. seedlings.*** Kyto, M. Scandinavian Journal of Forest Research 7(1):121-127. 1992.
122. ***Making greater use of introduced microorganisms for biological control of plant pathogens.*** Cook, R. J. Annual Review of Phytopathology 31:53-80. 1993.
123. ***Methyl bromide - we can learn to live without it!*** Lantz, C. W. Tree Planters' Notes 44(1):3-4. 1993.
124. ***Nematodes: lethal weapons, too.*** Greene, I. D.; Parrella, M. P. Greenhouse Grower 11(5):77-81. 1993. Nematodes are gaining attention for control of western flower thrips.
- *125* ***Palatability of Anispray-treated white spruce to snowshoe hares.*** Rangen, S. A.; Hawley, A. W. L.; Hudson, R. J. Canadian Journal of Forest Research 23(7):1321-1324. 1993.
- * 126* ***Rapid methods for diagnosis of soil-borne plant pathogens.*** Fox, R. T. V. Soil Use and Management 6(4):179-184. 1990.
127. ***Research and management strategies for major tree diseases in Canada: synthesis, part 2.*** Singh, P. Forestry Chronicle 69(3):314-322. 1993.
- * 128* ***Response of Siberian elm to inoculations with Sphaeropsis ulmicola.*** Krupinsky, J. M.; Cunningham, R. A. Plant Disease 77(7):678-681. 1993.
129. ***Seedling production trends and fusiform rust control practices at southern nurseries, 1981-1991.*** Carey, W. A.; Kelley, W. D. Southern Journal of Applied Forestry 17(4):207-211. 1993.
130. ***Sonic deterrents in animal damage control: a review of device tests and effectiveness.*** Bomford, M.; O'Brien, P. H. Wildlife Society Bulletin 18(4):411-422. 1990. Tests indicate that devices producing noise provide, at best, short term damage reduction.
131. ***Take a look at horticultural oils.*** King, A. I. Greenhouse Grower 11(10):36, 39-40. 1993.
132. ***Taylorilygus pallidulus (Blanchard): a potential pest of pine seedlings.*** South, D. B.; Zwolinski, J. B.; Bryan, H. W. Tree Planters' Notes 44(2):63-67. 1993.
133. ***Timing and number of applications of triadimefon (Bayleton) needed for control of cedar leaf blight on western red cedar at Humboldt Nursery.*** Frankel, S.; Nelson, J. USDA Forest Service, Pacific Southwest Region, Report R91-O1. 4 p. 1991.

134. *Toxin production by Fusarium solani causing Eucalyptus wilt.* Kumar, A.; Nath, V. Indian Forester 119(4):306-309. 1993.
- * 135 * *Use of filtration for removal of conidia of Penicillium expansum from water in pome fruit packinghouses.* Spotts, R. A.; Cervantes, L. A. Plant Disease 77(8):828830. 1993.
136. *Using a Phytophthora-specific immunoassay kit to diagnose raspberry Phytophthora root rot.* Ellis, M. A.; Miller, S. A. HortScience 28(6):642-644. 1993.
137. *Wash those whiteflies away.* Mulholland, N. A. Greenhouse Grower 11(3):54-55. 1993.

Pesticides

- * 138* *Determination of buffer zones to protect seedlings of non-target plants from the effects of glyphosate spray drift.* Marrs, R.H.; Frost, A. J.; Plant, R. A.; Lunnis, P. Agriculture, Ecosystems and Environment 45(3-4):283-293. 1993.
139. *Dressing for success around chemicals.* Batts, J. Nursery Manager 9(7):38-44. 1993.
140. *Understanding pesticide toxicity.* Clink, J.; Harem, P. American Christmas Tree Journal 37(3):33-35. 1993.

Seedling Harvesting and Storage

141. *Effect of cold storage on bud break, root regeneration and shoot extension of Douglas-fir, paper birch and green ash.* Harris, J. R.; Bassuk, N. L.; Whitlow, T. H. Journal of Environmental Horticulture 11(3):119-123. 1993.
142. *Mobile tree seedling coolers.* Herzberg, D. Tree Planters' Notes 44(1):16-18. 1993.

143. *Pinus radiata seedling water potential and root and shoot growth as affected by type and duration of storage.* Balneaves, J. M.; Menzies, M. L; Hong, S. O. New Zealand Journal of Forestry Science 22(1):24-31. 1992.

Seedling Physiology and Morphology

- * 144* *Anaerobic and aerobic CO₂ efflux rates from boreal forest conifer roots at low temperatures.* Conlin, T. S. S.; Lieffers, V.J. Canadian Journal of Forest Research 23(5):767-771. 1993.
- * 145 * *Assessing cold tolerance in Picea using chlorophyll fluorescence.* Adams, G. T.; Perkins, T. D. Environmental and Experimental Botany 33(3):377-382. 1993.
- * 146* *Bud development in coastal Douglas-fir seedlings under controlled-environment conditions.* MacDonald, J. E.; Owens, J. N. Canadian Journal of Forest Research 23(6):1203-1212. 1993.
- * 147* *Cold acclimation of Pinus contorta and Pinus sylvestris assessed by chlorophyll fluorescence.* Lindgren, K.; Hallgren, J. E. Tree Physiology 13(1):97-106. 1993.
148. *Cold acclimation of Pinus sylvestris and Pinus contorta provenances as measured by freezing tolerance of detached needles.* Lindgren, K.; Nilsson, J. E. Scandinavian Journal of Forest Research 7(3):309-315. 1992.
- * 149* *Control of pressure-chamber and rehydration-time effects on pressure -volume determination of water-relation parameters.* Zine El Abidine, A.; Bernier-Cardou, M.; Bernier, P. Y.; Plamondon, A.P. Canadian Journal of Botany 71(8):1009-1015. 1993.

- *150* ***Curly needle syndrome of loblolly pine seedlings.*** Stone, D. M. Canadian Journal of Forest Research 23(9):1810-1814. 1993
- *151* ***Dormancy release in beech buds (*Fagus sydatica*) requires both chilling and long days.*** Heide, O. M. Physiologia Plantarum 89(1):187-191. 1993.
- *152* ***Effect of phosphorus fertilization on water stress in Douglas fir seedlings during soil drying.*** Dosskey, M. G.; Boersma, L.; Linderman, R. G. Plant and Soil 150(1):33-39. 1993.
- *153* ***Effects of ammonium and nitrate on nutrient uptake and activity of nitrogen assimilating enzymes in western hemlock.*** Knoepp, J. D.; Turner, D. P.; Tingey, D. T. Forest Ecology and Management 59(34):179-191. 1993.
154. ***Effects of nutritional factors on frost hardening in *Larix leptolepis* (Sieb & Zucc.) Gord.*** Hansen, J. M. Scandinavian Journal of Forest Research 7(2):183-192. 1992.
- *155* ***Free amino acids and protein in Scots pine seedlings cultivated at different nutrient availabilities.*** Gezelius, K.; Nasholm, T. Tree Physiology 13(1):71-86. 1993.
- *156* ***Freezing stress tolerance of hardy and tender families of loblolly pine.*** Hodge, G. R.; Weir, R. J. Canadian Journal of Forest Research 23(9):1892-1899. 1993.
157. ***Frost hardness of dormant *Salix* shoots.*** von Fircks, H. A. Scandinavian Journal of Forest Research 7(3):317-323. 1992.
- *158* ***Growth and ecophysiological responses of black spruce seedlings to elevated CO₂ under varied water and nutrient additions.*** Johnsen, K. H. Canadian Journal of Forest Research 23(6):1033-1042. 1993.
- *159* ***Growth of *Eucalyptus marginata* (Jarrah) seedlings in a greenhouse in response to shade and soil temperature.*** Stoneman, G. L.; Dell, B. Tree Physiology 13(3):239-252. 1993.
160. ***How to identify bud initiation and count needle primordia in first year spruce seedlings.*** Templeton, C. W. G.; Odum, K.D.; Colombo, S. J. Forestry Chronicle 69(4):431-437. 1993.
- *161* ***Indole-3-butryric acid in plants: occurrence, synthesis, metabolism and transport.*** Epstein, E.; Ludwig-Muller, J. Physiologic Plantarum 88(2):382-389. 1993.
- *162* ***Influence of photoperiod and temperature on frost hardness and free amino acid concentrations in black spruce seedlings.*** Odum, K. D.; Blake, T. J.; Kim, Y. T.; Glerum, C. Tree Physiology 13(3):275-282. 1993.
- *163* ***The kinetics of NH₄⁺ and NO₃⁻ uptake by Douglas fir from single N-solutions and from solutions containing both NH₄⁺ and NO₃⁻.*** Kamminga-van Wijk, C.; Prins, H. B. A. Plant and Soil 151(1):91-96. 1993.
- *164* ***Mefluidide-induced drought resistance in seedlings of three conifer species.*** Silim, S. N.; Guy, R. D.; Lavender, D. P. Canadian Journal of Botany 71(8):1987-1092. 1993.

- * 165 * ***Moderate water stress alters carbohydrate content and cold tolerance of red spruce foliage.*** Amundson, R. G.; Kohut, R. J.; Lawrence, J. A.; Fellows, S.; Colavito, L. J. Environmental and Experimental Botany 33(3):383-390. 1993.
166. ***Nitrogen supply during greenhouse transplant production affects subsequent tomato root growth in the field.*** Liptay, A.; Nicholls, S. Journal of the American Society for Horticultural Science 118(3):339-342. 1993.
- * 167* ***Photoperiod and night frost influence the frost hardiness of Chamaecyparis nootkatensis clones.*** Hawkins, B. J. Canadian Journal of Forest Research 23(7):1408-1414. 1993.
- * 168* ***Photosynthetic acclimation to elevated atmospheric carbon dioxide and UV irradiation in Pinus banksiana.*** Stewart, J. D.; Hoddinott, J. Physiologia Plantarum 88(3):493-500. 1993.
169. ***Photosynthetic apparatus in cold-stored conifer seedlings is affected by nursery and storage photoperiod.*** Camm, E. L.; Lavender, D. P. Forest Science 39(3):546-560. 1993.
- * 170* ***Preconditioning effects of nitrogen relative addition rate and drought stress on container grown lodgepole pine seedlings.*** Stewart, J. D.; Lieffers, V. J. Canadian Journal of Forest Research 23(8):1663-1671. 1993.
- * 171* ***Responses of loblolly pine seedlings to elevated CO₂ and fluctuating water supply.*** Tschaplinski, T. J.; Norby, R. J.; Wullschleger, S. D. Tree Physiology 13(3):283-296. 1993.
172. ***Selection of salt-tolerant clones of Eucalyptus camaldulensis Dehn.*** Heth, D.; MacRae, S. South African Forestry Journal 164:21-26. 1993.
173. ***Soil moisture stress induces transplant shock in stored and unstored 2+0 Douglas fir seedlings of varying root volumes.*** Haase, D. L.; Rose, R. Forest Science 39(2):275-294. 1993.
174. ***Sucrose metabolism and growth in transplanted loblolly pine seedlings.*** Sung, S. J. S.; Black, C. C.; Kormanik, P. P. IN: Biennial southern silvicultural research conference, proceedings, 7th, p.369-375. USDA Forest Service, Southern Forest Experiment Station, General Technical Report 93. 1993.
175. ***Using fractal geometry to quantify loblolly pine seedling root system architecture.*** Diebel, K. E.; Feret, P. P. Southern Journal of Applied Forestry 17(3):130-134. 1993.
- * 176* ***Using infrared thermography to assess viability of Pinus sylvestris and Picea abies seedlings before planting.*** Egnell, G.; Orrlander, G. Canadian Journal of Forest Research 23(9):1737-1743. 1993.
- * 177* ***Water stress, photosynthesis and early growth patterns of cuttings of three Populus clones.*** Rhodenbaugh, E. J.; Pallardy, S. G. Tree Physiology 13(3):213-226. 1993.
- SO. ***Ecophysiological assessment of western hemlock seedlings for coastal regeneration programs in British Columbia.*** Grossnickle, S. C.; Arnott, J. T.; Major, J. E. British Columbia Ministry of Forests and Forestry Canada, FRDA Report 183. 23 p. 1992. ORDER FROM: Forestry Canada, Pacific Forestry Centre, 506 West Burnside Road, Victoria, BC V8Z 1M5 Canada. Free

Seeds

- * 178* **Cone and seed morphology of western larch (*Larix occidentalis*), alpine larch (*Larix lyallii*), and their hybrids.** Carlson, C. E.; Theroux, L. J. Canadian Journal of Forest Research 23(7):1264-1269. 1993.
- * 179* **Determination of *Pinus sylvestris* seed maturity using leachate conductivity measurements.** Sahlen, K. Canadian Journal of Forest Research 23(4):864-870. 1993.
180. **The effect of temperature on the germination capacity and dormancy percent of seed of cold tolerant *Eucalyptus* species.** Donald, D. G. M.; Jacobs, C. B. Seed Science and Technology 21(1):255-268. 1993.
- * 181 * **Effect of the light environment on seed germination of red alder (*Alnus rubra*).** Haeussler, S.; Tappeiner, J. C. II. Canadian Journal of Forest Research 23(7):1487-1491. 1993.
- * 182* **Effects of some seed-borne fungi on *Picea glauca* and *Pinus strobus* seeds.** Mittal, R. K.; Wang, B. S. P. European Journal of Forest Pathology 23(3):138-146. 1993.
183. **Enhancement of seed germination in ornamental plants by growth regulators infused via acetone.** Persson, B. Seed Science and Technology 21(2):281-290. 1993.
184. **Germination of Alaska-cedar seed.** Pawuk, W. H. Tree Planters' Notes 44(1):21-24. 1993.
185. **Handling longleaf pine seeds for optimal nursery performance.** Barnett, J. P.; Pesacreta, T. C. Southern Journal of Applied Forestry 17(4):180-187. 1993.
186. **Microwave irradiation of seeds and selected fungal spores.** Cavalcante, M. J. B.; Muchovej, J. J. Seed Science and Technology 21(1):247-253. 1993.
187. **Predicting the storage life of beech nuts.** Poulsen, K. M. Seed Science and Technology 21(2):327-337. 1993.
188. **Presowing treatments affect shortleaf pine seed germination and seedling development.** Barnett, J. P. Tree Planters' Notes 44(2):58-62. 1993.
- * 189* **Relationships between *Epilobium angustifolium* phenology and *Picea glauca* seed maturation.** Mercier, S.; Langlois, C. G. Forest Ecology and Management 59(12):115-125. 1993.
190. **Response of longleaf pine seeds to storage conditions and pregermination treatments.** Barnett, J. P.; Jones, J. Southern Journal of Applied Forestry 17(4):174-179. 1993.
191. **Seed germination of *Rhododendron carolinianum*: influence of light and temperatures.** Blazich, F. A.; Warren, S. L.; Starrett, M. C.; Acedo, J. R. Journal of Environmental Horticulture 11(2): 55-58. 1993.
- * 192* **Studies of mature seeds of eleven *Pinus* species differing in seed weight. 1. Element concentrations in embryos and female gametophytes.** West, M. M.; Lott, J. N. A. Canadian Journal of Botany 71(4):570-576. 1993.
- * 193 * **Studies of mature seeds of eleven *Pinus* species differing in seed weight. II Subcellular structure and localization of elements.** West, M. M.; Lott, J. N. A. Canadian Journal of Botany 71(4):577-585. 1993.

194. *The use of pre germinated seed in nursery operations.* Garbisch, E. Wetland Journal 5(2):21. 1993.
- *195* *Variation in Picea glauca seed germination associated with the year of cone collection.* Carom G. E.; Wang, B. S. P.; Schooley, H. O. Canadian Journal of Forest Research 23(7):1306-1313. 1993.
- Soil Management and Growing Media**
196. *Composted turkey litter: I. Effect on chemical and physical properties of a pine bark substrate.* Tyler, H. H.; Warren, S. L.; Bilderback, T. E.; Fonteno, W. C. Journal of Environmental Horticulture 11(3):131-136. 1993.
197. *Development of the steel rod technique for the assessment of aeration in urban soils.* Hodge, S. J.; Boswell, R.; Knott, K. Journal of Arboriculture 19(5):281-288. 1993. Rate of corrosion of steel rods reveals information about oxygen diffusion rate along a soil profile.
- *198* *Estimating shrinkage of container media mixtures with linear and/or regression models.* Bures, S.; Pokorny, F. A.; Ware, G. O. Communications in Soil Science and Plant Analysis 24(3-4):315-323. 1993.
199. *Favourable water and aeration conditions for growth media used in containerized tree seedling production: a review.* Heiskanen, J. Scandinavian Journal of Forest Research 8(3):337-358. 1993.
200. *High gypsum byproducts as soil amendments for horticultural crops.* Korcak, R. F. HortTechnology 3(2):156-161. 1993.
201. *The historical roots of living mulch and related practices.* Paine, L. K.; Harrison, H. HortTechnology 3(2):137-143. 1993.
202. *Horticultural uses of municipal solid waste composts.* Rosen, C. J.; Halbach, T. R.; Swanson, B. T. HortTechnology 3(2): 167-173. 1993.
- *203* *Hydraulic properties of sphagnum peat moss and tuff (scoria) and their potential effects on water availability.* da Silva, F. F.; Wallach, R.; Chen, Y. Plant and Soil 154(1):119-126. 1993.
204. *Hydrophilic polymers and wetting agents affect absorption and evaporative water loss.* Blodgett, A. M.; Beattie, D. J.; White, J. W.; Elliott, G. C. HortScience 28(6):633-635. 1993.
205. *A practical guide to the use of steel rods for the assessment of aeration in urban soils.* Hodge, S. J.; Knott, K. Journal of Arboriculture 19(5):289-294. 1993.
206. *The promise of compost.* Tyler, R. W. American Nurseryman 178(2):60-68, 70-73. 1993. Ideas for using compost in container media, liner beds and nursery fields.
- *207* *Soil macrostructure and root growth of establishing seedlings.* Cornish, P. S. Plant and Soil 151(1):119-126. 1993.
- *208* *Soil solarization in Greece.* Vizantinopoulos, S.; Katranis, N. Weed Research 33(3):225-230. 1993.
209. *Utilization of sewage sludge compost in horticulture.* Gouin, F. R. HortTechnology 3(2):161-163. 1993.

Tropical Forestry and Agroforestry

210. **Acid scarification and hot water soaking of *Racosperma auriculiforme* seeds.** Khasa, P. D. Forestry Chronicle 69(3):331- 334. 1993.
211. **Effect of root-wrenching and controlled watering on growth, drought resistance and quality of bare-rooted seedlings of *Acacia mangium*.** Awang, K.; De Chavez, C. G. Journal of Tropical Forest Science 5(3):309-321. 1993.
212. **Effects of various methods of extraction on germination of *Gmelina arborea* seeds/fruits.** Ogunnika, C. B.; Kadaba, O. Journal of Tropical Forest Science 5(4):473-478. 1993.
- *213* **Genetic and site effects on stem breakage in *Pinus tecunumanii*.** Dvorak, W. S.; Lambeth, C. C.; Li, B. New Forests 7(3):237-253. 1993.
- *214* **Growth improvement of Ethiopian acacias by addition of vesicular-arbuscular mycorrhizal fungi or roots of native plants to nor:-sterile nursery soil.** Michelsen, A. Forest Ecology and Management 59(3-4):193-206. 1993.
215. **The influence of stage of development and sowing depth on seed quality and seedling emergence of *Gliricidia sepium*.** Iji P. A.; Tarawali, G.; Baba, M. Seed Science and Technology 21(1): 197-202. 1993.
- *216* **Responses to salt stress of 16 *Eucalyptus* species, *Grevillea robusta*, *Lophostemon confertus* and *Pinus caribaea* var. *hondurensis*.** Sun, D.; Dickinson, G. Forest Ecology and Management 60(1-2):1-14. 1993.

217. **Seedling growth and biomass production in *Hardwickia binata Roxb.* as affected by seed size.** Ponnammal, N. R.; Arjunan, M. C.; Antony, K. A. Indian Forester 119(1):59-62. 1993.
218. **Teak fruit treatment machine - a prototype.** Grewal, J. S.; Kumar, A.; Gaikwad, S. R. Indian Forester 119(3):252-254. 1993.
219. **The water status of leafy cuttings of four tropical tree species in mist and non-mist propagation systems.** Newton, A. C.; Jones, A. C. Journal of Horticultural Science 68(5):653-663. 1993.

Vegetative Propagation and Tissue Culture

- *220* **Bud break and multiple shoot formation from tissues of mature trees of *Pinus caribaea* and *Pinus kesiya*.** Nadguda, R. S.; Nagarwala, N. N.; Parasharami, V. A.; Mascarenhas, A. F. In Vitro Cellular and Developmental Biology 29P(3):131-134. 1993.
221. **City water can contaminate tissue culture stock plants.** Seabrook, J. E. A.; Farrell, G. HortScience 28(6):628-629. 1993.
222. **The development and utilization of vegetative propagation in Mondi for commercial afforestation programmes.** Denison, N. P.; Kietzka, J. E. South African Forestry Journal 165:47-54. 1993.
223. **Effects of fertilizer and night interruption on overwinter survival of rooted cuttings of *Quercus L.*** Drew, J. J. III.; Dirr, M. A.; Armitage, A. M. Journal of Environmental Horticulture 11(3):97-101. 1993.

224. ***Impact of biotechnology on forest ecosystems.*** Duchesne, L. C. Forestry Chronicle 69(3):307-313. 1993.
225. ***In vitro establishment of Picea pungens f. glauca and P. sitchensis seedling rootstocks with an assessment of their suitabilities for micrografting with scions of various Picea species.*** Ponsonby, D. J.; Mantell, S. H. Journal of Horticultural Science 68(4):463-475. 1993.
226. ***In vitro propagation of conifers: fidelity of the clonal offspring.*** Bonga, J. M. IN: Woody plant biotechnology, p. 13- 21. M.R. Ahuja, ed. Plenum Press. 1991.
227. ***Outdoor mist propagation.*** Priapi, V. M. American Nurseryman 178(11):30-35. 1993.
- *228* ***Photosynthesis and dark respiration of black spruce cuttings during rooting in response to light and temperature.*** Yue, D.; Margolis, H. A. Canadian Journal of Forest Research 23(6):1150-1155. 1993.
229. ***Propagation characteristics of Eucalyptus globulus Labill. ssp. globulus stem cuttings in relation to their original position in the parent shoot.*** Wilson, P. J. Journal of Horticultural Science 68(5):715-724. 1993.
230. Rooting performance of hardwood stem cuttings from herbicide-treated nursery stock plants. Catanzaro, C. J.; Skroch, W. A.; Henry, P. H. Journal of Environmental Horticulture 11(3):128-130. 1993. Herbicides did not affect rooting of cuttings or growth of stock plants of the taxa tested.
- *231 * ***Somatic embryogenesis in longleaf pine (*Pinus palustris*).*** Naghami, R.; Diner, A.M.; Sharma, G. C. Canadian Journal of Forest Research 23(5):873-876. 1993.
- *232* ***Thidiazuron: a potent cytokinin for woody plant tissue culture.*** Hueteman, C. A.; Preece, J. E. Plant Cell, Tissue and Organ Culture 33:105-119. 1993.
233. ***Unraveling the mystery: understanding the methods of herbaceous perennial propagation.*** Beattie, D. J.; Herman, R. M.; Still, S. American Nurseryman 178(7):40-49. 1993.

Water Management and Irrigation

234. ***Another treatment option: UV radiation.*** Nursery Manager 9(6):75-77. 1993. For treatment of recycled water.
235. ***How to use ozone to eradicate pathogens.*** Roberts, D. R. Nursery Manager 9(6):74. 1993.
236. ***Influence of tillage on nitrate loss in surface runoff and tile drainage.*** Drury, C. F.; McKenney, D. J.; Findlay, W. L; Gaynor, J. D. Soil Science Society of America Journal 57(3):797- 802. 1993.
237. ***A model for irrigation scheduling in container-grown nursery crops utilizing management allowed deficit (MAD).*** Welsh, D. F.; Zajicek, J. M. Journal of Environmental Horticulture 11(3):115-118. 1993.
238. ***Reclaimed wastewater for irrigation of citrus in Florida.*** Davies, F. S.; Maurer, M. A. HortTechnology 3(2):163-167. 1993.

239. ***Winter cover crops can decrease soil nitrate, leaching potential.*** Jackson, L. E.; Wyland, L. J.; Klein, J. A.; Smith, R. F.; Chaney, W. E.; Koike, S. T. California Agriculture 47(5): 12-15. 1993.

Weed Control

240. ***Differential large crabgrass control with herbicides in tall fescue and common Bermudagrass.*** Johnson, B. J. HortScience 28(10):1015-1016. 1993.
241. ***Evaluation of weed control and phytotoxicity of preemergence herbicides applied to container-grown herbaceous and woody plants.*** Staats, D.; Klett, J. E. Journal of Environmental Horticulture 11(2):78-80. 1993.
- *242* ***Grass and legume seeding on a scarified coastal alluvial site in northwestern British Columbia: response of native non- crop vegetation and planted Sitka spruce (*Picea sitchensis* (Bong.) Carr.) seedlings.*** Coates, K. D.; Douglas-fir M.J.; Schwab, J. W.; Bergerud, W. A. New Forests 7(3):193-211. 1993.
243. ***Management of weed seed banks with microorganisms.*** Kremer, R. J. Ecological Applications 3(1):42-52. 1993.
244. ***Seasonal variation in hybrid poplar tolerance to glyphosate.*** Netzer, D.; Hansen, E. USDA Forest Service, North Central Forest Experiment Station, Research Paper NC311. 7 p. 1992.
245. ***Soil solarization for weed management in U.A.E.*** Al- Masoom, A. A.; Saghir, A. R.; Itani, S. Weed Technology 7(2):507- 510. 1993.