

We are unable to supply this entire article because the publisher requires payment of a copyright fee. You may be able to obtain a copy from your local library, or from various commercial document delivery services.

From Forest Nursery Notes, Summer 2007

149. © Physical parameters that influence successful minesoil reclamation. Dollhopf, D. J. and Postle, R. C. IN: Reclamation of surface-mined lands, volume I, p. 81-104. CRC Press. Edited by L.R. Hossner. 2007.

CRC

RECLAMATION
of
SURFACE-MINED
LANDS

Volume I

Lloyd R. Hossner

CRC

PRESS

Chapter 5

PHYSICAL PARAMETERS THAT INFLUENCE SUCCESSFUL MINESOIL RECLAMATION

Douglas J. Dollhopf and Robert C. Postle

TABLE OF CONTENTS

I.	Introduction.....	82
II.	Fabric-Related Properties	82
A.	Particle Size Distribution and Texture.....	82
B.	Rock Fragments	83
C.	Clay Mineralogy	85
1.	X-ray Diffraction	86
2.	Alternative Methods That Indicate Clay Mineralogy-Saturation Percentage	87
D.	Bulk Density and Porosity.....	87
E.	Color	88
III.	Minesoil Water	88
A.	Minesoil Moisture.....	88
B.	Plant Available Water.....	89
C.	Infiltration.....	90
D.	Hydraulic Conductivity.....	91
1.	Laboratory Measurement of Hydraulic Conductivity.....	92
2.	Estimating Hydraulic Conductivity.....	92
IV.	Minesoil Stability	93
A.	Structure.....	93
B.	Aggregate Stability.....	93
C.	Consistency	95
D.	Shrink-Swell Potential.....	95
E.	Crusting	96
F.	Minesoil Compaction.....	97
G.	Erosion Potential	98
V.	Selection of Overburden for Minesoil Construction.....	99
A.	Slaking.....	99
B.	Downhole Geophysical Logging.....	101
VI.	Summary	102
	References.....	102