

# Index of Subjects and Species

## *Abies*

*fraseri*. See Fraser fir  
*procera*. See Noble fir

## *Acer*. See Maple

## *Acer saccharinum*. See Sugar maple

## Afforestation

establish plantations on pastureland 46(3):73–75,  
 Summer 1995

## *Ailanthus*. See Tree-of-Heaven

## Alaska-cedar

plantation performance, southeast Alaska  
 43(3):60–66, Summer 1992  
 seed germination, stratification requirements  
 44(1):21–24, Winter 1993

## *Albizia julibrissin*. See Mimosa

## Alder. See individual species' common names

## *Alnus*. See Tag alder

## *Alnus rubra*. See Red alder

## Animal damage and control, mechanical

bird netting to protect germinating seedlings  
 40(4):14–17, Fall 1989  
 MT&DC project 43(3):97–104, Summer 1992;  
 46(2):36–45, Spring 1995  
 nutria and baldcypress seedlings 38(3):26–29,  
 Summer 1987  
 tree shelters improve establishment on dry sites  
 45(1):13–16, Winter 1994

## Animal damage and control, repellents

BGR-P and garlic on western redcedar 46(1):4–6,  
 Winter 1995  
 deer and elk in Douglas-fir plantations 38(3):22–25,  
 Summer 1987  
 MT&DC project 46(2):36–45, Spring 1995

## Antitranspirants

5 tested on white spruce and white pine  
 41(1):34–38, Winter 1990  
 film-forming, black spruce 38(4):23–26, Fall 1987  
*Moisturin®* on Douglas-fir and ponderosa pine  
 46(3):97–101, Summer 1995  
 Vapor gard on cold-stored sycamore 38(1):26–30,  
 Winter 1987

## *Araucaria columnaris*. See Cook pine

## Ash. See individual species' common names

## Aspen. See individual species' common names

## Atlantic white-cedar

regeneration, natural and artificial 46(3):78–85,  
 Summer 1995

## seed germination

tests of substrate and temperature 45(4):125–127,  
 Fall 1994  
 treatments, viability 45(3):104–111, Summer 1994  
 vegetative propagation, cuttings 45(3):104–111,  
 Summer 1994

## Austrian pine

seed germination, sterilized seed 38(3):18–21,  
 Summer 1987

## Autumn olive

seed germination, stratification 38(1):14–17, Winter  
 1987

## Baldcypress

animal damage control, nutria 38(3):26–29, Summer  
 1987  
 rooting stem cuttings 44(3):125–127, Summer 1993

## Bareroot production. See more specific terms

## *Betula alleghaniensis*. See Yellow birch

## Birch. See individual species' common names

## Biodiversity

role of nurseries 43(2):25–27, Spring 1992

## Black cherry

plantation performance, northern California  
 38(4):31–36, Fall 1987

plantlet growth and survival, effect of various media  
 39(3):31–34, Summer 1988

## Black cottonwood

plantation performance, cuttings, Pacific Northwest  
 38(4):27–30, Fall 1987

species trials, Oregon 44(1):38–42, Winter 1993

## Black locust

herbicides, screening 3 pre-emergence 39(2):13–18,  
 Spring 1988

## Black spruce

cold tolerance, measurement by chlorophyll  
 fluorescence 46(3):107–111, Summer 1995

container seedlings transplanted from mini-plugs to  
 paperpots 40(2):18–21, Spring 1989

growth in worm-casting-amended media  
 43(2):43–47, Spring 1992

moisture stress, effect of 3 antitranspirants  
 38(4):23–26, Fall 1987

overwintering under insulating blanket 45(2):47–52,  
 Spring 1994

plantation performance, root pruning and wrenching  
 effects 40(2):33–39, Spring 1989

seed deterioration during storage and processing  
 40(3):5–8, Summer 1989

- seed treatment, priming accelerates container stocking 43(1):11–13, Winter 1992
- Black walnut**  
nursery practices improve root morphology 41(3):21–32, Summer 1990  
plantation performance differences among stock types 40(3):29–32, Summer 1989  
mine spoils 41(2):3–5, Spring 1990  
northern California 38(4):31–36, Fall 1987
- Black willow**  
cuttings, rooting success 39(4):30–32, Fall 1988
- Blue oak**  
sowing date affects performance 41(2):6–9, Spring 1990  
top pruning, container seedlings 44(2):73–77, Spring 1993
- Blue spruce**  
bud dormancy control with lighting 46(1):11–14, Winter 1995  
flooding tolerance, survival after complete submergence 42(2):45–48, Spring 1991  
stem injury from dicloran 41(1):39–42, Winter 1990
- Caragana**  
plantation performance, relationship of root collar diameter 42(1):36–39, Winter 1991
- Carbohydrate reserves**  
cold storage effects on 3 conifers 38(2):11–15, Spring 1987
- Carolina silverbell**  
seed germination, pretreatments, stratification 46(4):134–137, Fall 1995
- Carya aquatica.** See Pecan
- Carya illinoensis.** See Pecan
- Cat greenbrier**  
seed germination, light required 40(1):34–37, Winter 1989
- Cherry.** See individual species' common names
- Celtis occidentalis.** See Hackberry
- Chamaecyparis nootkatensis.** See Alaska-cedar
- Chamaecyparis thyoides.** See Atlantic white-cedar
- Cherry.** See individual species' common names
- Chemicals.** See Fungicides; Herbicides; Insecticides
- Chlorophyll fluorescence**  
cold tolerance measurement, black spruce 46(3):107–111, Summer 1995
- Cold hardiness**  
black spruce, measurement by chlorophyll fluorescence 46(3):107–111, Summer 1995
- Douglas-fir, testing to time lifting 47(2):62–67, Spring 1996
- Eucalyptus macarthurii** and *E. viminalis* in Pacific Northwest 38(4):27–30, Fall 1987
- method, simple, for evaluating whole plant 38(2):16–18, Spring 1987
- Paulownia**, genetic variation 41(2):31–33, Spring 1990
- ponderosa pine, testing to time lifting 47(2):62–67, Spring 1996
- value of testing 47(2):45–46, Spring 1996
- Cold storage**  
black spruce, overwintering under insulating blanket 45(2):47–52, Spring 1994
- Fraser fir container seedlings, effect on growth 38(2):19–21, Spring 1987
- freezer storage practices on 5 conifers 38(2):7–10, Spring 1987
- loblolly pine, effect of benomyl root dip 38(4):19–22, Fall 1987
- physiological effects on 3 conifers 38(2):11–15, Spring 1987
- Common greenbrier**  
seed germination, light required 40(1):34–37, Winter 1989
- Compost–sawdust sludge**  
effect on 3 conifer species 38(2):22–27, Spring 1987
- Computer program**  
calculating filled cells 44(2):49–52, Spring 1993  
calculation of daily potential evapotranspiration 39(3):9–12, Summer 1988
- CONIFERS, calculating liquid fertilizer for containers 47(4):120–125, Fall 1996
- LOTUS 123® template for nutrient calculation 40(2):5–7, Spring 1989
- portable data recorders in nurseries 40(1):3–10, Winter 1989
- weather monitoring for irrigation scheduling 41(4):22–27, Fall 1990
- Cone.** See Seed
- Cone morphology**  
tamarack, phenotypic variation 42(3):18–22, Summer 1991
- Container design**  
ISSA system, multipots vs. phytosacks 43(4):146–149, Fall 1992  
type and watering regime affect western larch 40(3):13–15, Summer 1989
- Container production.** See more specific terms
- Cook pine**  
seeds, germination, maturity, storage conditions 39(3):17–25, Summer 1988
- Cost.** See Economics
- Cuttings.** See Vegetative propagation

**Direct seeding**

- loblolly pine, compared to planting, in rips  
43(2):48–51, Spring 1992
- northern red oak, seed position influences survival  
47(2):68–75, Spring 1996

**Dormancy, bud**

- cold storage effects on 3 conifers 38(2):11–15, Spring 1987
- control with photoperiod lighting 46(1):11–14, Winter 1995

**Douglas-fir.** See also Rocky Mountain Douglas-fir.

- animal damage, repellents for deer and elk  
38(3):22–25, Summer 1987
- cold hardiness tests, container seedlings  
47(2):62–67, Spring 1996
- cold storage, physiological effects 38(2):11–15, Spring 1987
- fertilization requirements of container seedlings  
46(1):15–18, Winter 1995
- flooding tolerance, survival after complete submergence 42(2):45–48, Spring 1991
- freezer storage practices 38(2):7–10, Spring 1987
- fungicides, 16 tested on *Phomopsis* 39(2):26–29, Spring 1988
- grafts, leader growth, plagiotropism, root stock age effects 38(4):14–18, Fall 1987
- growth in sawdust-sludge compost 38(2):22–27, Spring 1987
- mycorrhizae inoculation, growth response  
38(1):18–21, Winter 1987
- plantation performance
  - antitranspirant effect 46(3):97–101, Summer 1995
  - lifting date, effect after 13 years 40(3):20–24, Summer 1989
  - planting date effect on container seedlings  
42(2):52–55, Spring 1991
  - root form, effect after 10 years 44(2):53–57, Spring 1993
- roots in small containers, affected by sowing depth  
44(3):122–124, Summer 1993

**Eastern white pine**

- antitranspirants, 5 tested on container seedlings  
41(1):34–38, Winter 1990
- Fusarium* on seeds survives cold storage  
40(4):34–36, Fall 1989
- inventory monitoring system in seed orchard  
39(4):23–29, Fall 1988
- plantation performance, mine spoils 41(2):3–5, Spring 1990
- root hydraulic conductance 39(3):5–8, Summer 1988
- seed germination, effect of extended prechilling  
38(4):6–9, Fall 1987

- seedborne fungi, effect of prechilling 38(4):6–9, Fall 1987
- seedling handling, performance after rough handling  
45(4):142–146, Fall 1994

**Economics**

- bulk lifting, bareroot nursery 42(3):13–15, Summer 1991
- cost of insecticide treatment in container nursery  
45(1):5–9, Winter 1994
- fertilizer type, difference between value and cost  
46(4):126–129, Fall 1995
- impact of increased stock cost, red pine 40(1):11–14, Winter 1989
- integrated pest management, two-spotted spider mite control 44(4):154–156, Fall 1993
- nursery soil fumigants, comparison of 3  
39(4):16–22, Fall 1988
- planting costs, hand vs. machine, southern U.S.  
43(3):89–92, Summer 1992
- weed control of hybrid poplar 43(3):81–86, Summer 1992

*Elaeagnus commutata.* See Silverberry

*Elaeagnus umbellata.* See Autumn olive

**Engelmann spruce**

- flooding tolerance, survival after complete submergence 42(2):45–48, Spring 1991
- mycorrhizae inoculation, growth response  
38(1):18–21, Winter 1987

**Equipment**

- auger to extract wood density samples 45(1):10–12, Winter 1994
- dispenser for top-dressing containers 42(2):56–61, Spring 1991
- GPS, MT&DC project 46(2):36–45, Spring 1995
- herbicide application, spray boom vs. roller-wiper  
43(2):36–38, Spring 1992
- lifting, economics of bulk lifting 42(3):13–15, Summer 1991
- lighting, control bud dormancy 46(1):11–14, Winter 1995
- machine vision, MT&DC project 43(3):97–104, Summer 1992; 46(2):36–45, Spring 1995
- mobile seedling coolers 44(1):16–18, Winter 1993
- nursery, drawings available 38(2):3–6, Spring 1987; 45(1):17–20, Winter 1994
- planting tools
  - container seedlings, 3 types 40(2):22–24, Spring 1989
  - planting auger and hammer-action hand planter  
42(4):7–8, Fall 1991
- pollen collection
  - cyclone dust collector 42(4):4–5, Fall 1991
  - larch seed orchard 44(4):141–145, Fall 1993

- MT&DC project 43(3):97-104, Summer 1992  
 pollination  
 air duster 42(4):4-5, Fall 1991  
 duster in Douglas-fir seed orchards  
 46(4):118-125, Fall 1995  
 Hardi-Combi I mist blower 38(4):3-5, Fall 1987  
 MT&DC project 46(2):36-45, Spring 1995  
 portable data recorders in nurseries 40(1):3-10,  
 Winter 1989  
 pressure chamber, improved PMS technique  
 39(3):3-4, Summer 1988  
 pruning, MT&DC project 46(2):36-45, Spring 1995  
 root pruning, MT&DC project 43(3):97-104,  
 Summer 1992; 46(2):36-45, Spring 1995  
 seed collection  
 aerial lifts 45(1):21-25, Winter 1994  
 mechanized net retrieval system, loblolly pine  
 44(3):101-104, Summer 1993  
 MT&DC project 46(2):36-45, Spring 1995  
 seed handling, gravity seed separator 42(2):62-64,  
 Spring 1991  
 seed sowing  
 acorn seeder 42(3):16-17, Summer 1991  
 comparison of 2, loblolly pine 43(3):93-96,  
 Summer 1992  
 electronically controlled optical seeder 42(3):4-8,  
 Summer 1991  
 MT&DC project 43(3):97-104, Summer 1992  
 precision sower, longleaf pine 41(4):33-38, Fall  
 1990  
 progeny seeder 42(3):9-12, Summer 1991  
 seedling box lifter 42(4):6, Fall 1991; 43(3):97-104,  
 Summer 1992  
 seedling counter 44(1):8-12, Winter 1993  
 site preparation  
 cable yarder on steep slopes 38(1):6-10, Winter  
 1987  
 MT&DC projects 43(3):97-104, Summer 1992  
 scalpers, 2 on crawler-tractors 38(1):3-5, Winter  
 1987  
 scarifiers for shelterwoods 44(1):13-15, Winter  
 1993  
 tree shakers  
 loblolly pine seed orchard 39(2):19-21, Spring  
 1988  
 new techniques in older orchards 41(1):26-28,  
 Winter 1990
- Eucalyptus*  
 seed cleaning, pelletizing and sowing 40(1):27-30,  
 Winter 1989  
 sowing pelletized seed 45(2):58-62, Spring 1994
- Eucalyptus macarthurii*  
 plantation performance, Pacific Northwest  
 38(4):27-30, Fall 1987
- Eucalyptus nitens*. See Shining gum
- Eucalyptus viminalis*  
 plantation performance, Pacific Northwest  
 38(4):27-30, Fall 1987
- European aspen**  
 tissue culture propagation methods 39(3):28-30,  
 Summer 1988
- European larch**  
 herbicides, screening 3 pre-emergence 39(2):13-18,  
 Spring 1988  
 mycorrhizae in container seedlings inoculated with 8  
 species 40(2):12-17, Spring 1989
- Evapotranspiration**  
 computer program for calculation of daily potential  
 39(3):9-12, Summer 1988
- Fertilization**  
 computer program, CONIFERS, nutrient calculation  
 47(4):120-125, Fall 1996  
 computer program, LOTUS 123®, nutrient calculation  
 40(2):5-7, Spring 1989  
 controlled release, jeffrey and pinyon pine in  
 containers 42(1):27-33, Winter 1991  
 disease control, *Botrytis*, container-grown giant  
 sequoia 44(2):68-72, Spring 1993  
 lime causes growth distortions in container seedlings  
 41(3):12-17, Summer 1990  
 requirements based on nutrient uptake by 4 conifers  
 40(2):8-11, Spring 1989  
 requirements for container-grown Douglas-fir  
 46(1):15-18, Winter 1995  
 response to different types, Mexican conifers  
 46(4):126-129, Fall 1995
- Fir.** See individual species' common names
- Flooding**  
 tolerance of 4 western conifers 42(2):45-48, Spring  
 1991
- Fraser fir**  
 cold storage effect on container seedlings of 2 seed  
 sources 38(2):19-21, Spring 1987
- Fraxinus pennsylvanica*. See Green ash
- Fumigants, soil**  
 dazomet  
 compared to thiram and captan, stunting and  
 long-term survival 41(1):29-33, Winter 1990  
 control of *Macrophomina* 45(3):91-95, Summer  
 1994  
 mechanical incorporation 45(2):53-57, Spring  
 1994  
 ponderosa pine bareroot nursery 39(4):16-22,  
 Fall 1988
- metam sodium  
 control of *Macrophomina* 45(3):91-95, Summer  
 1994

- ponderosa pine bareroot nursery 39(4):16–22, Fall 1988
- methyl bromide**
- alternatives 45(2):43–47, Spring 1994
  - management without it 44(1):3–4, Winter 1993; 44(3):87–90, Summer 1993; 47(3):85–86, Summer 1996;
  - ponderosa pine bareroot nursery 39(4):16–22, Fall 1988
- Fungi and disease.** See also Fungicides
- blister rust, sugar pine, controlled by triadimefon 43(1):7–10, Winter 1992
  - Botrytis*
    - carried by fungus gnats in container nurseries 46(2):48–53, Spring 1995
    - fertilization effects, container-grown giant sequoia 44(2):68–72, Spring 1993
    - reduction by vacuuming dead needles 43(2):30–32, Spring 1992  - brown spot in longleaf pine 38(3):16–17, Summer 1987
  - damping off
    - comparison of management strategies 41(1):29–33, Winter 1990
    - level in slash pine bareroot nursery 39(2):30–36, Spring 1988
    - fungicide usage, principles for container nurseries 39(2):22–25, Spring 1988  - Fusarium*
    - control with 3 soil fumigants 39(4):16–22, Fall 1988
    - control with incorporated dazomet 45(2):53–57, Spring 1994
    - germination of sterilized seeds, 4 conifers 38(3):18–21, Summer 1987
    - survival on cold-stored seeds, eastern white pine 40(4):34–36, Fall 1989
    - susceptibility of longleaf pine and hybrid 47(1):11–15, Winter 1996
    - in tree shelters, oak 45(3):88–90, Summer 1994  - Macrophomina*
    - loblolly pine, nursery to field carryover 45(2):68–71, Spring 1994
    - dazomet and metam sodium in Florida nursery 45(3):91–95, Summer 1994  - Mycosphaerella*, susceptibility of longleaf pine and hybrid 47(1):11–15, Winter 1996
  - pest survey for nurseries 43(1):14–16, Winter 1992
  - Phomopsis*, control on Douglas-fir 39(2):26–29, Spring 1988
  - Phytophthora*
    - control in Pacific Northwest nurseries 38(4):37–40, Fall 1987
    - susceptibility of Pacific Northwest conifers 40(1):15–18, Winter 1989  - Pythium*
    - control with 3 soil fumigants 39(4):16–22, Fall 1988
    - control with incorporated dazomet 45(2):53–57, Spring 1994
    - reducing pesticide use with sanitation, ventilation, growing regimes 41(4):28–32, Fall 1990
    - reducing with sodium metabisulfite cleaning of containers 44(4):161–165, Fall 1993
    - seedborne
      - management in western nurseries 41(4):3–7, Fall 1990
      - white spruce and eastern white pine 38(4):6–9, Fall 1987  - Septoria*, reducing risk in hybrid poplar 44(3):128–131, Summer 1993
  - Sirococcus*, fungicides for control, Jeffrey pine 40(2):30–32, Spring 1989
  - southern cone rust, control using triadimefon 47(4):126–131, Fall 1996

**Fungicides**

    - application, MT&DC project 46(2):36–45, Spring 1995
    - benomyl
      - loblolly pine seedlings, performance after root dip and cold storage 38(4):19–22, Fall 1987
      - root dip, longleaf pine, improved performance 46(3):93–96, Summer 1995
      - sycamore seedlings before cold-storage 38(1):26–30, Winter 1987    - bleach on seeds of 4 conifers 38(3):18–21, Summer 1987
    - dicloran, stem injury to container blue spruce 41(1):39–42, Winter 1990
    - disinfecting seed surfaces, western nurseries 41(4):3–7, Fall 1990
    - metalaxyl, *Phytophthora* root rot 38(4):37–40, Fall 1987
    - principles for usage, container nurseries 39(2):22–25, Spring 1988
    - propiconazol, sycamore seedlings before cold storage 38(1):26–30, Winter 1987
    - propiconazole, penconazole, triadimefon on *Sirococcus*, Jeffrey pine 40(2):30–32, Spring 1989
    - sodium metabisulfite, reduces fungi in containers 44(4):161–165, Fall 1993
    - test of 16 on Douglas-fir for *Phomopsis* control 39(2):26–29, Spring 1988
    - triadimefon
      - control of southern cone rust in seed orchard 47(4):126–131, Fall 1996

- controls blister rust on sugar pine in greenhouse  
43(1):7-10, Winter 1992
- Genetic analysis**
- Forest Service laboratory established 40(4):25-29, Fall 1989
  - genotyping longleaf pine ramets 44(4):157-160, Fall 1993
- Genetic gain**
- benefits of improved seed 38(3):3-8, Summer 1987
- Genetically improved seed**
- Douglas-fir, Pacific Northwest, utilization and follow-up 38(3):3-8, Summer 1987
- Germinants**
- sowing in containers 46(1):7-10, Winter 1995
- Giant sequoia**
- fertilization affects *Botrytis* on container seedlings 44(2):68-72, Spring 1993
- Gleditsia triacanthos*. See Honeylocust**
- Government programs**
- America the Beautiful program 42(1):3-5, Winter 1991; 42(1):6-9, Winter 1991; 42(1):10-14, Winter 1991; 42(1):15-17, Winter 1991
  - Stewardship Incentive Program 42(4):1-2, Fall 1991
- Grafting**
- Douglas-fir, leader growth, plagiotropism, root stock age effects 38(4):14-18, Fall 1987
- Green ash**
- plantation performance, relationship of root collar diameter 42(1):36-39, Winter 1991
- Greenhouses**
- heating with waste oil 44(4):146-148, Fall 1993
- Growing media**
- amended with worm-casting, growth of black spruce 43(2):43-47, Spring 1992
  - growth distortions caused by lime 41(3):12-17, Summer 1990
  - superabsorbent polymers increase water-holding capacity 38(1):24-25, Winter 1987
  - texture influences seedling water stress, white spruce 43(2):39-42, Spring 1992
  - various types, effect on survival of micropropagated black cherry 39(3):31-34, Summer 1988
- Hackberry**
- seed sources for Great Plains 44(2):78-82, Spring 1993
- Halesia tetraptera*. See Carolina silverbell**
- Hardwoods.** See also specific common names
- seed quality increased with brush machines 43(2):33-35, Spring 1992
  - species trials, native and non-native, Oregon 44(1):38-42, Winter 1993
- Last pruning, review of literature** 47(1):34-40, Winter 1996
- weed control with DCPA/napropamide, germinants of 7 species** 44(4):149-153, Fall 1993
- Heating**
- greenhouses with waste oil 44(4):146-148, Fall 1993
- Herbicides**
- application, spray boom vs. roller-wiper system 43(2):36-38, Spring 1992
  - DCPA/napropamide, hardwood germinants 44(4):149-153, Fall 1993
  - diphenamid, hexazinone, simazine, effects on 6 species 39(2):13-18, Spring 1988
  - hexazinone and sulfometuron, effect on loblolly pine survival and growth 45(4):116-120, Fall 1994
  - hexazinone, sulfometuron, imazapyr, loblolly pine old fields 44(1):25-32, Winter 1993
  - oxyfluorfen, lodgepole pine seedbeds 39(2):3-9, Spring 1988
  - site preparation, 7 treatments, loblolly pine 39(2):10-12, Spring 1988
- Himalayan blue pine**
- plantation performance, northeast U.S. 43(3):76-80, Summer 1992
- Honeylocust**
- Seed testing, moisture determination 43(3):72-75, Summer 1992
- Hybrid larch**
- pollen collection, mechanized, seed orchards 44(4):141-145, Fall 1993
- Hybrid poplar**
- cutting diameter, importance of, on early growth 47(2):76-80, Spring 1996
  - disease risk, selection impacts yield 44(3):128-131, Summer 1993
  - plantation performance, 9-year results, Ontario 42(2):49-51, Spring 1991
  - species trials, Oregon 44(1):38-42, Winter 1993
  - weed control program 43(3):81-86, Summer 1992
- Hybrids.** See Kellogg hybrid pine, Loblolly × pitch pine
- Hymenea strobocarpa***
- seed size effect on seedling growth 46(4):130-133, Fall 1995
- Indexes, Tree Planters' Notes**
- 1977-1986, Volumes 28-37 39(1):3-45, Winter 1988
  - 1987, Volume 38 39(4):3-5, Fall 1988
  - 1987-1996, Volumes 38-47 47(4):133-171, Fall 1996
  - 1988, Volume 39 40(4):3-13, Fall 1989
  - 1989-1990, Volume 40-41 43(1):17-24, Winter 1992
- Insect damage and control.** See also Insecticides
- fir aphid, white fir bareroot seedlings 41(4):8-12, Fall 1990

- float testing for acorn insects, northern red oak  
46(4):143–147, Fall 1995
- fungus gnats spread *Botrytis* in container nurseries  
46(2):48–53, Spring 1995
- in tree shelters, oak 45(3):88–90, Summer 1994
- Nantucket pine tip moth, longleaf pine 45(3):86–87,  
Summer 1994
- pales weevil, threat to longleaf pine 43(3):87–88,  
Summer 1992
- pest survey for nurseries 43(1):14–16, Winter 1992
- pine weevil, resistance of Himalayan blue pine  
43(3):76–80, Summer 1992
- pine weevil, treatment of container seedlings  
45(1):5–9, Winter 1994
- reducing pesticide use with sanitation, ventilation,  
growing regimes 41(4):28–32, Fall 1990
- seed orchard inventory monitoring helps plan control  
39(4):23–29, Fall 1988
- tarnished plant bug, southern pine nursery  
40(4):30–33, Fall 1989
- Taylorilygus* on pine, causes bushy tops 44(2):63–67,  
Spring 1993
- termites, subterranean, on pecan seedlings  
38(2):28–30, Spring 1987
- two-spotted spider mite, greenhouse-grown poplars  
44(4):154–156, Fall 1993
- Insecticides**
- 4 tested on fir aphid on white fir 41(4):8–12, Fall 1990
  - application, worker exposure in container nursery  
45(1):5–9, Winter 1994
  - Lorsban 4E, on subterranean termites in pecan  
seedlings 38(2):28–30, Spring 1987
  - permethrin, on large pine weevil in container  
seedlings 45(1):5–9, Winter 1994
- Integrated pest management**
- reducing pesticide use with sanitation, ventilation,  
growing regimes 41(4):28–32, Fall 1990
  - two-spotted spider mite management, greenhouse-  
grown poplars 44(4):154–156, Fall 1993
- Interior spruce**
- cold storage, physiological effects 38(2):11–15,  
Spring 1987
- International forestry**
- opportunities for exchanges 44(4):137–138, Fall 1993
- Irrigation**
- measuring soil water using TDR 47(3):88–93,  
Summer 1996
  - rate calculation for nurseries 41(4):22–27, Fall 1990
- Jack pine**
- plantation performance
    - not improved with root dip 41(3):18–20, Summer 1990
  - root pruning and wrenching effects 40(2):33–39,  
Spring 1989
  - vegetative propagation, effect of crown position and  
plant age 47(3):100–104, Summer 1996
- Jeffrey pine**
- disease control, fungicides tested on *Sirococcus*  
40(2):30–32, Spring 1989
  - fertilization of container seedlings 42(1):27–33,  
Winter 1991
- Juglans nigra*. See Black walnut
- Juniperus scopulorum*. See Rocky Mountain juniper
- Kellogg hybrid pine**
- herbicides, screening 3 pre-emergence 39(2):13–18,  
Spring 1988
- Knobcone × Monterey pine hybrid**
- plantation performance, container seedlings on harsh  
dam site 41(1):8–14, Winter 1990
- Larch.** See individual species' common names
- Larix decidua*. See European larch
- Larix eurolepis*. See Hybrid larch
- Larix laricina*. See Tamarack
- Larix occidentalis*. See Western larch
- Lifting**
- Douglas-fir, date affects 13-year performance  
40(3):20–24, Summer 1989
  - economics of bulk lifting 42(3):13–15, Summer 1991
  - longleaf pine, date affects field survival 42(3):28–31,  
Summer 1991
  - ponderosa pine, lifting windows 42(1):18–21,  
Winter 1991
- Limba**
- seed treatment, scarification with hot water, bleach,  
acid 43(4):150–152, Fall 1992
- Limber pine**
- mycorrhizae inoculation, growth response  
38(1):18–21, Winter 1987
- Liriodendron tulipifera*. See Yellow-poplar
- Loblolly pine**
- allelopathic effects of shining sumac 41(3):33–34,  
Summer 1990
  - container production, shading reduces growth  
40(1):23–26, Winter 1989
  - fall mosaic, may be related to mycorrhizal  
colonization and undercutting 40(1):19–22,  
Winter 1989
  - mulch and fertilizer effects 42(3):32–35, Summer  
1991
  - natural regeneration, carry-over of seed 42(4):17–18,  
Fall 1991
  - plantation performance
    - after 7 site preparation herbicide treatments  
39(2):10–12, Spring 1988

- comparing container, bareroot and seeding  
45(2):63–67, Spring 1994
- comparing stock types, root dips, mycorrhizae  
inoculation 41(2):13–21, Spring 1990
- disease carryover from nursery 45(2):68–71,  
Spring 1994
- effect of height, shoot:root ratio, benomyl root dip  
38(4):19–22, Fall 1987
- old fields, Arkansas 44(1):25–32, Winter 1993
- release important for naturally seeded and  
container seedlings 45(4):128–136, Fall 1994
- rutted site after 3 years 46(1):28–31, Winter 1995
- seeding versus planting, in rips 43(2):48–51,  
Spring 1992
- treated with sulfometuron or hexazinone  
45(4):116–120, Fall 1994
- pollen distribution in seed orchard 38(4):3–5, Fall  
1987
- pollen production, effect of wire girdle 38(3):33–35,  
Summer 1987
- seed collection, mechanized net retrieval system  
44(3):101–104, Summer 1993
- seed collection, shakers, mechanical and helicopter  
39(2):19–21, Spring 1988
- seed germination, carry-over on forest sites  
42(4):17–8, Fall 1991
- seed germination, seed condition, stratification and  
temperature effects 46(4):139–142, Fall 1995
- seed, pregermination treatment effects 39(4):36–38,  
Fall 1988
- seed sources, don't forget about 43(1):1–2, Winter  
1992
- seed sowing, comparison of 2 seeders 43(3):93–96,  
Summer 1992
- seedling morphology, seedbed density, sowing date,  
53 southern nurseries 39(3):13–16, Summer 1988
- vegetative propagation from needle fascicles  
43(3):67–71, Summer 1992
- Loblolly × pitch pine hybrid**  
plantation performance, after 17 years, Maryland  
39(3):26–27, Summer 1988
- Lodgepole pine**  
cold storage, physiological effects 38(2):11–15,  
Spring 1987
- flooding tolerance, survival after complete  
submergence 42(2):45–8, Spring 1991
- freezer storage practices 38(2):7–10, Spring 1987
- mycorrhizae inoculation, growth response  
38(1):18–21, Winter 1987
- seedbed coverings affect germination, growth, frost  
heaving 41(4):13–16, Fall 1990
- weed control in seedbeds with oxyfluorfen  
39(2):3–9, Spring 1988
- Longleaf pine**  
container production, shading reduces growth  
40(1):23–26, Winter 1989
- Nantucket pine tip moth infestation 45(3):86–87,  
Summer 1994
- nursery practices affect field survival 42(3):28–31,  
Summer 1991
- pales weevil threat 43(3):87–88, Summer 1992
- plantation performance  
root dip and scalping improve 46(3):93–96,  
Summer 1995
- seedling size, effect 38(3):16–7, Summer 1987
- seed source test, 5-year results 47(1):6–10, Winter  
1996
- susceptibility to *Fusiform* rust and brown-spot needle  
blight 47(1):11–15, Winter 1996
- vegetative propagation from needle fascicles  
43(3):67–71, Summer 1992
- Machine vision**  
MT&DC project 43(3):97–104, Summer 1992;  
46(2):36–45, Spring 1995
- Maple.** See also individual species' common names  
seed germination, optimum temperature for  
stratification 40(3):9–12, Summer 1989
- Methods**  
evaluating container stock quality with shoot:root  
ratio 46(3):102–106, Summer 1995
- evaluating whole plant cold hardiness 38(2):16–18,  
Spring 1987
- nondestructive test for pine seed quality  
42(2):41–44, Spring 1991
- pest survey system for nurseries 43(1):14–16, Winter  
1992
- pollen storage using freeze drying 40(4):18–19, Fall  
1989
- pressure chamber, increasing speed, accuracy, safety  
39(3):3–4, Summer 1988
- quantifying new root production 45(4):121–124, Fall  
1994
- sampling for seedling inventory 42(4):9–13, Fall  
1991
- soil water content measurement using TDR  
47(3):88–3, Summer 1996
- stock quality assessment 44(3):113–121, Summer  
1993
- Microppropagation**  
black cherry, survival in various media 39(3):31–34,  
Summer 1988
- European aspen, method for tetraploids  
39(3):28–30, Summer 1988
- somatic embryogenesis comes of age 47(2):48–57,  
Spring 1996

- valley oak shoots 41(2):27–30, Spring 1990
- Mimosa**
- seed testing, moisture determination 43(3):72–75, Summer 1992
- Mine spoil reclamation**
- autumn olive, seed germination 38(1):14–17, Winter 1987
  - mycorrhizae species occurrence, oak and pine forests 41(1):15–23, Winter 1990
  - root dips improves survival, 8 species 43(4):159–162, Fall 1992
  - species performance
    - 18 species after 47 years 47(1):24–29, Winter 1996
    - 5 oaks 46(2):54–57, Spring 1995
    - 6 species tested 41(2):3–5, Spring 1990
    - 8 species on different soil mixtures 44(4):166–171, Fall 1993
- Moisture retention**
- containers, using superabsorbent polymer 38(1):24–25, Winter 1987
  - Liqua-Gel on cold-stored sycamore 38(1):26–30, Winter 1987
  - root dips, use in North America 45(1):26–31, Winter 1994
- Moisture stress**
- antitranspirants
    - black spruce 38(4):23–26, Fall 1987
    - white pine and white spruce container seedlings 41(1):34–38, Winter 1990
  - measurement with pressure chamber, improved technique 39(3):3–4, Summer 1988
  - soil texture influences, white spruce 43(2):39–42, Spring 1992
- Mulch**
- loblolly pine, combined with fertilizer 42(3):32–35, Summer 1991
  - MT&DC project 46(2):36–45, Spring 1995
- Multiple leaders**
- caused by tarnished plant bug, southern nursery 40(4):30–33, Fall 1989
  - caused by *Taylorilygus* on pine 44(2):63–67, Spring 1993
- Mycorrhizae**
- colonization in fumigated or nonfumigated beds, western redcedar 42(4):14–16, Fall 1991
  - European larch container seedlings, inoculated with 8 mycorrhizae 40(2):12–17, Spring 1989
  - fall mosaic in loblolly pine may be from differences in colonization 40(1):19–22, Winter 1989
  - Glomus mosseae*, inoculation of redwood 41(3):7–11, Summer 1990
  - Pisolithus tinctorius*
    - inoculation of 5 Rocky Mountain conifer species 38(1):18–21, Winter 1987
- inoculation of loblolly and shortleaf pine 41(2):13–21, Spring 1990
- species collected in oak and pine forest and on surface mines 41(1):15–23, Winter 1990
- species on western redcedar in containers and field 44(1):33–7, Winter 1993
- white spruce stunting, effect of soil sterilization 38(1):22–23, Winter 1987
- Native plants**
- biodiversity and nurseries 43(2):25–27, Spring 1992
  - Carolina silverbell, seed germination, pretreatments, stratification 46(4):134–137, Fall 1995
  - conservation forestry, need for multipurpose species 43(3):55–57, Summer 1992
  - containerless transport of desert shrubs 45(3):82–85, Summer 1994
  - greenbrier, common and cat, seed germination 40(1):34–37, Winter 1989
  - propagation of wetland species 44(3):93–97, Summer 1993
  - silverberry, seed stratification for optimal germination 41(1):24–25, Winter 1990
- Natural regeneration**
- loblolly pine, carry-over of seed 42(4):17–18, Fall 1991
- Nitrogen fixation**
- legumes sown on logged sites 46(1):19–27, Winter 1995
- Noble fir**
- freezer storage practices 38(2):7–10, Spring 1987
  - growth in sawdust-sludge compost 38(2):22–27, Spring 1987
- Non-industrial private forests**
- opportunity to provide reforestation assistance 45(1):1–2, Winter 1994
- Northern red oak**
- direct seeding, seed position influences survival 47(2):68–75, Spring 1996
  - herbicides, screening 3 pre-emergence 39(2):13–18, Spring 1988
  - nursery practices improve root morphology 41(3):21–32, Summer 1990
  - plantation performance
    - graded stock 39(4):33–35, Fall 1988
    - mine spoils 41(2):3–5, Spring 1990
    - northern California 38(4):31–36, Fall 1987
    - tree shelters, competition control 45(4):137–141, Fall 1994
  - seed testing by float method 46(4):143–147, Fall 1995
  - seedbed density, effects on seedlings 40(3):3–4, Summer 1989

**Nursery operations**

- history plots, installation, monitoring 38(3):9-15, Summer 1987  
 inventory, optimal sample size 42(4):9-13, Fall 1991  
 inventory with seedling counter 44(1):8-12, Winter 1993  
 production scheduling 47(1):1-2, Winter 1996  
 quality control system, Forest Service nurseries 41(1):3-7, Winter 1990

**Nutrients**

- amount removed from nursery by 4 conifers 40(2):8-11, Spring 1989  
 concentrations in 3 compost-grown conifers 38(2):22-27, Spring 1987  
 composted lime-treated horse manure, effect on soil pH 40(1):31-33, Winter 1989  
 legumes sown on logged sites 46(1):19-27, Winter 1995

- Oak.** See also individual species' common names  
 insects and diseases in tree shelters 45(3):88-90, Summer 1994  
 plantation performance, mine spoils 46(2):54-57, Spring 1995  
 species trials, Oregon 44(1):38-42, Winter 1993

***Paulownia***

- genetic variation of height, winter injury 41(2):31-33, Spring 1990  
 spacing trials 42(1):34-35, Winter 1991  
 vegetation propagation  
   fungicide increases sprouting 45(3):101-103, Summer 1994  
   sprouting and growth 45(3):95-100, Summer 1994

**Pecan**

- grafting sweet pecan to bitter pecan rootstock 40(3):25-28, Summer 1989  
 termites, subterranean, damage to seedlings 38(2):28-30, Spring 1987

**Pelletized seed**

- Eucalyptus*, cleaning and sowing 40(1):27-30, Winter 1989

**Photoperiod**

- extended, effect on 7 conifers 44(3):105-12, Summer 1993

***Picea***

- engelmannii*. See Engelmann spruce; Interior spruce  
*glauca*. See White spruce; Interior spruce  
*mariana*. See Black spruce  
*pungens*. See Blue spruce

**Pin cherry**

- seed germination and temperature fluctuation 38(3):30-32, Summer 1987

**Pine.** See individual species' common names***Pinus*.**

- ayacahuite*, container seedlings jellyrolled for transportation 47(3):105-109, Summer 1996

*banksiana*. See Jack pine

*clausa*. See Sand pine

*contorta*. See Lodgepole pine

- douglasiana*, fertilizer, response to different types 46(4):126-129, Fall 1995

*echinata*. See Shortleaf pine

*elliottii*. See Slash pine

*flexilis*. See Limber pine

- greggii*, seed production, natural stands, Mexico 46(3):86-92, Summer 1995

*jeffreyi*. See Jeffrey pine

*lambertiana*. See Sugar pine

*monophylla*. See Single leaf pinyon pine

*monticola*. See Western white pine

*nigra*. See Australian pine

*nigra* x *densiflora*. See Kellogg hybrid pine

*palustris*. See Longleaf pine

*ponderosa*. See Ponderosa pine

*ponderosa* var. *scopulorum*. See Rocky Mountain ponderosa pine

*pseudostrobus*

- container seedlings jellyrolled for transportation 47(3):105-109, Summer 1996

fertilizer, response to different types 46(4):126-129, Fall 1995

*resinosa*. See Red pine

*rigida*. See Loblolly x pitch pine hybrid

*strobos*. See Eastern white pine

*sylvestris*. See Scotch pine

*taeda*. See Loblolly pine

*virginiana*. See Virginia pine

*wallichiana*. See Himalayan blue pine

**Plagiotropism**

- Douglas-fir grafts 38(4):14-8, Fall 1987

**Plant communities**

- site preparation, effect of 3 methods 41(4):39-42, Fall 1990

**Plantation performance**

- Alaska-cedar, southeast Alaska 43(3):60-66, Summer 1992

Atlantic white-cedar, natural and artificial swamp regeneration 46(3):78-85, Summer 1995

baldcypress, damage by nutria 38(3):26-29, Summer 1987

black cherry, northern California 38(4):31-36, Fall 1987

- black cottonwood, species trials, Oregon  
44(1):38–42, Winter 1993
- black spruce  
antitranspirants, effect of 3 38(4):23–26, Fall 1987  
root pruning and wrenching effects 40(2):33–39,  
Spring 1989
- black walnut  
differences among stock types 40(3):29–32,  
Summer 1989  
northern California 38(4):31–36, Fall 1987
- blue oak, top pruning improves performance  
44(2):73–77, Spring 1993
- caragana, relationship of root collar diameter  
42(1):36–39, Winter 1991
- container seedlings after manual site preparation  
47(2):58–61, Spring 1996
- Douglas-fir  
after animal damage by deer and elk 38(3):22–25,  
Summer 1987  
antitranspirant effect 46(3):97–101, Summer 1995  
lifting date, effect after 13 years 40(3):20–24,  
Summer 1989  
planting date effect on container seedlings  
42(2):52–5, Spring 1991  
root form, effect after 10 years 44(2):53–57,  
Spring 1993
- eastern white pine, after rough handling  
45(4):142–146, Fall 1994
- Eucalyptus macarthurii* and *E. viminalis* 38(4):27–30,  
Fall 1987
- green ash, relationship of root collar diameter  
42(1):36–9, Winter 1991
- Himalayan blue pine, northeast U.S. 43(3):76–80,  
Summer 1992
- hybrid poplar  
9-year results, Ontario 42(2):49–51, Spring 1991  
importance of cutting diameter 47(2):76–80,  
Spring 1996  
species trials, Oregon 44(1):38–42, Winter 1993
- jack pine, root pruning and wrenching effects  
40(2):33–39, Spring 1989
- knobcone × Monterey pine hybrid, container  
seedlings on harsh dam site 41(1):8–14, Winter  
1990
- loblolly pine  
after 7 site preparation herbicide treatments  
39(2):10–12, Spring 1988  
comparing container, bareroot and seeding  
45(2):63–67, Spring 1994  
comparing stock types, root dips, mycorrhizae  
inoculation 41(2):13–21, Spring 1990  
disease carryover from nursery 45(2):68–1,  
Spring 1994
- effect of height, root:shoot ratio, root dip  
38(4):19–22, Fall 1987
- mulch and fertilizer effects 42(3):32–35, Summer  
1991
- old fields, Arkansas 44(1):25–32, Winter 1993  
release important for naturally seeded container  
seedlings 45(4):128–136, Fall 1994
- rutted site after 3 years 46(1):28–31, Winter 1995
- seeding vs. planting, in rips 43(2):48–51, Spring  
1992
- treated with sulfometuron or hexazinone  
45(4):116–120, Fall 1994
- loblolly × pitch pine hybrid, after 17 years, Maryland  
39(3):26–27, Summer 1988
- longleaf pine  
nursery practices, effects 42(3):28–31, Summer  
1991  
root dip and scalping improve 46(3):93–96,  
Summer 1995  
seed source, results of 5-year test 47(1):6–10,  
Winter 1996  
seedling size, effect 38(3):16–17, Summer 1987
- mine spoils  
18 species after 47 years 47(1):24–29, Winter 1996  
6 species tested 41(2):3–5, Spring 1990  
8 species on different soil mixtures 44(4):166–171,  
Fall 1993
- native plants, containerless transport of desert shrubs  
45(3):82–85, Summer 1994
- northern red oak  
enhanced by tree shelters and competition control  
45(4):137–141, Fall 1994  
graded stock 39(4):33–35, Fall 1988  
northern California 38(4):31–36, Fall 1987  
seed position influence 47(2):68–75, Spring 1996
- oak  
5 species on mine spoils 46(2):54–57, Spring 1995  
species trials, Oregon 44(1):38–42, Winter 1993
- Paulownia*, spacing trials 42(1):34–35, Winter 1991
- Pinus pseudostrobus*, *P. ayacahuite*, container seedlings  
jellyrolled for transportation 47(3):105–109,  
Summer 1996
- planting deeper increases survival 41(4):17–21, Fall  
1990
- ponderosa pine  
antitranspirant effect 46(3):97–101, Summer 1995  
effect of lifting time 42(1):18–21, Winter 1991  
planting date effect on container seedlings  
42(2):52–55, Spring 1991  
seedling quality and weather effects 47(1):16–3,  
Winter 1996  
stock comparisons, 1+0 and 2+0 43(4):153–158,  
Fall 1992

- red alder, Pacific Northwest 38(4):27-30, Fall 1987  
 Rocky Mountain ponderosa pine, causes of mortality, container seedlings 40(3):16-19, Summer 1989  
**root dip**  
 effect on red pine, jack pine, and white spruce 41(3):18-20, Summer 1990  
 improves survival, 8 species 43(4):159-162, Fall 1992  
 review of use in North America 45(1):26-31, Winter 1994  
 shining gum, water improves survival 46(2):46-47, Spring 1995  
 shortleaf pine, comparing stock types, root dips, mycorrhizae inoculation 41(2):13-21, Spring 1990  
 slash pine  
 comparing container, bareroot and seeding 45(2):63-67, Spring 1994  
 effect of seed and seedling size 42(3):23-27, Summer 1991  
 sycamore, treatment with fungicide, antitranspirant super absorbent polymer 38(1):26-30, Winter 1987  
 tests to assess stock quality 44(3):113-121, Summer 1993  
 tree shelters, improve establishment on dry sites 45(1):13-16, Winter 1994  
 western larch, comparison of stock types and season of planting 40(4):20-24, Fall 1989  
 western white pine, planting date effect on container seedlings 42(2):52-55, Spring 1991  
 white spruce  
 after rough handling 45(4):142-146, Fall 1994  
 root pruning and wrenching effects 40(2):33-39, Spring 1989  
 root pruning effects 43(1):4-6, Winter 1992  
 yellow-poplar, root collar diameter effects 47(1):30-33, Winter 1996
- Planting**  
 cost comparison, hand vs. machine, southern U.S. 43(3):89-92, Summer 1992  
 date affects survival, western larch 40(4):20-4, Fall 1989  
 deeper planting increases survival 41(4):17-21, Fall 1990  
 manual site preparation for container seedlings 47(2):58-61, Spring 1996  
 tools  
 container seedlings, 3 types 40(2):22-24, Spring 1989  
 planting auger and hammer-action hand planter 42(4):7-8, Fall 1991  
 tropical forests, establishment techniques 43(4):125-132, Fall 1992; 43(4):133-141, Fall 1992
- Plantlet growth and survival**  
 black cherry, in various media 39(3):31-34, Summer 1988  
*Platanus occidentalis*. See Sycamore
- Pollen**  
 collection  
 cyclone dust collector 42(4):4-5, Fall 1991  
 MT&DC project 43(3):97-104, Summer 1992  
 distribution  
 air duster 42(4):4-5, Fall 1991  
 duster in Douglas-fir seed orchards 46(4):118-125, Fall 1995  
 mist blower in loblolly pine seed orchard 38(4):3-5, Fall 1987  
 production, loblolly pine, effects of wire girdle 38(3):33-35, Summer 1987  
 storage using freeze drying 40(4):18-19, Fall 1989  
 yield, western white pine 46(2):64-69, Spring 1995
- Ponderosa pine**  
 cold hardiness tests, container seedlings 47(2):62-67, Spring 1996  
 freezer storage practices 38(2):7-10, Spring 1987  
 growth in sawdust-sludge compost 38(2):22-27, Spring 1987  
 lifting windows 42(1):18-21, Winter 1991  
 mycorrhizae inoculation, growth response 38(1):18-21, Winter 1987  
 plantation performance  
 antitranspirant effect 46(3):97-101, Summer 1995  
 planting date effect on container seedlings 42(2):52-55, Spring 1991  
 seedling quality and weather effects 47(1):16-23, Winter 1996  
 stock comparisons, 1+0 and 2+0 43(4):153-158, Fall 1992  
 seed covering materials in nursery 38(1):11-13, Winter 1987  
 seed germination, sterilized seed 38(3):18-21, Summer 1987  
 soil fumigants, bareroot nursery 39(4):16-22, Fall 1988
- Poplar.** See individual species specific names
- Populus.** See Hybrid poplar
- tremula*. See European aspen
- tremuloides*. See Quaking aspen
- trichocarpa*. See Black cottonwood
- Pruning**  
 equipment, MT&DC project 46(2):36-45, Spring 1995  
 top. See Top pruning
- Prunus**  
*pensylvanica*. See Pin cherry  
*serotina*. See Black cherry
- Pseudotsuga menziesii*. See Douglas-fir

*Pseudotsuga menziesii* var. *glauca*. See Rocky Mountain Douglas-fir

### Quaking aspen

- seed collection and extraction 44(3):98–100, Summer 1993
- seed production, development, germinability 40(2):25–29, Spring 1989

*Quercus*. See Oak

- alba*. See White oak
- douglasii*. See Blue oak
- lobata*. See Valley oak
- nigra*. See Water oak
- rubra*. See Northern red oak

### Red alder

- plantation performance 38(4):27–30, Fall 1987

### Red pine

- economic impact of increased stock cost 40(1):11–14, Winter 1989
- plantation performance, not improved with root dip 41(3):18–20, Summer 1990

### Redwood

- mycorrhizae effects on growth 41(3):7–11, Summer 1990

### Reforestation. See also Planting

- America the Beautiful Program 42(1):3–5, Winter 1991; 42(1):6–9, Winter 1991; 42(1):10–14, Winter 1991; 42(1):15–17, Winter 1991
- conservation forestry, need for multipurpose species 43(3):55–57, Summer 1992
- government programs, Stewardship Incentive Program 42(4):1–2, Fall 1991
- need to replant in the South 46(1):1–2, Winter 1995
- opportunities for international exchanges 44(4):137–138, Fall 1993
- opportunity to assist NIPF owner 45(1):1–2, Winter 1994
- seed certification 46(2):33–34, Spring 1995
- tropical American rain forest 43(4):114–118, Fall 1992; 43(4):119–124, Fall 1992

*Rhus copallina*. See Shining sumac

*Robinia pseudoacacia*. See Black locust

**Rocky Mountain Douglas-fir.** See also Douglas-fir.

- seed germination, sterilized seed 38(3):18–21, Summer 1987

- vegetative propagation by stem cuttings 41(3):3–6, Summer 1990

### Rocky Mountain juniper

- vegetative propagation from shoot tip cuttings 47(3):94–99, Summer 1996

### Rocky Mountain ponderosa pine

- plantation performance, causes of mortality, container seedlings 40(3):16–19, Summer 1989

### Root dips

- loblolly and shortleaf pine survival 41(2):13–21, Spring 1990
- loblolly pine survival after clay slurry and benomyl dip 38(4):19–22, Fall 1987
- longleaf pine, improved performance 46(3):93–96, Summer 1995
- red pine, jack pine, and white spruce survival 41(3):18–20, Summer 1990
- review of use in North America 45(1):26–31, Winter 1994
- water-absorbent gel improves survival, 8 species 43(4):159–162, Fall 1992

### Root form

- 10-year effect, Douglas-fir 44(2):53–57, Spring 1993
- multipot containers better than phytosacks 43(4):146–149, Fall 1992

### Root growth potential

- cold storage effects on 3 conifers 38(2):11–15, Spring 1987
- method to quantify new root production 45(4):121–124, Fall 1994
- value of testing 47(2):45–46, Spring 1996

### Root hydraulic conductance

- eastern white pine 39(3):5–8, Summer 1988

### Root pruning

- effect on plantation performance
- white spruce 43(1):4–6, Winter 1992
- white spruce, black spruce, jack pine 40(2):33–39, Spring 1989
- equipment, MT&DC project 43(3):97–104, Summer 1992; 46(2):36–45, Spring 1995

### Rooting compounds

- IBA and NAA on Scouler willow 46(2):58–63, Spring 1995
- yellow birch cuttings, rooting success 39(2):37–42, Spring 1988

*Salix humboldtiana*. See Black willow

*Salix nigra*. See Black willow

*Salix scouleriana*. See Scouler willow

### Sampling

- sample size for seedling inventory 42(4):9–13, Fall 1991

### Sand pine

- cone maturation, seed yield 41(2):22–26, Spring 1990
- seed germination, improved by aerated stratification 42(1):22–26, Winter 1991

### Scotch pine

- seed germination, sterilized seed 38(3):18–21, Summer 1987

**Scouler willow**

- vegetative propagation, with IBA and NAA  
46(2):58–63, Spring 1995
- Seed certification** 46(2):33–34, Spring 1995
- Seed collection**
  - equipment, MT&DC project 46(2):36–45, Spring 1995
  - mechanized net retrieval system, loblolly pine  
44(3):101–104, Summer 1993
  - Quaking aspen, collection and extraction  
44(3):98–100, Summer 1993
  - sand pine, date affects yield 41(2):22–26, Spring 1990
  - tree shakers 39(2):19–21, Spring 1988; 41(1):26–28, Winter 1990
  - tropical species, problems 43(4):142–145, Fall 1992
- Seed germination**
  - Alaska-cedar, stratification requirements  
44(1):21–24, Winter 1993
  - Atlantic white-cedar, tests of substrate and temperature 45(4):125–127, Fall 1994
  - autumn olive, stratification 38(1):14–17, Winter 1987
  - bleach sterilization of seeds, 4 conifers 38(3):18–21, Summer 1987
  - Carolina silverbell, pretreatments, stratification  
46(4):134–137, Fall 1995
  - common and cat greenbrier, light required  
40(1):34–37, Winter 1989
  - Cook pine, different storage conditions 39(3):17–25, Summer 1988
  - eastern white pine, effect of prechilling 38(4):6–9, Fall 1987
  - limba, scarification with hot water, bleach, acid  
43(4):150–152, Fall 1992
  - loblolly pine
    - allelopathic effects of shining sumac 41(3):33–34, Summer 1990
    - carry-over in forest sites 42(4):17–18, Fall 1991
    - pregermination treatment 39(4):36–38, Fall 1988
    - seed condition, stratification and temperature effects 46(4):139–142, Fall 1995
  - maple, optimum temperature for stratification  
40(3):9–12, Summer 1989
  - pin cherry, recommendations for 38(3):30–32, Summer 1987
  - quaking aspen, catkin growth, seed production, artificial ripening 40(2):25–29, Spring 1989
  - sand pine, improved by aerated stratification  
42(1):22–26, Winter 1991
  - shortleaf pine, presowing treatments 44(2):58–62, Spring 1993
  - sowing rate, calculation 44(1):19–20, Winter 1993; 44(2):49–52, Spring 1993

tree-of-heaven, stratification not required

41(2):10–12, Spring 1990

tropical species, recalcitrant seeds 43(4):142–145, Fall 1992

water oak, enhanced by seedcoat removal

43(2):52–53, Spring 1992

white spruce, effect of prechilling 38(4):6–9, Fall 1987

**Seed handling**

brush machines increase hardwood seed quality  
43(2):33–35, Spring 1992

gravity seed separator 42(2):62–64, Spring 1991

tropical American species 43(4):114–118, Fall 1992; 43(4):119–124, Fall 1992

**Seed orchard**

equipment

aerial lifts 45(1):21–25, Winter 1994

pollen collection and distribution 42(4):4–5, Fall 1991

pollen collection, larch 44(4):141–145, Fall 1993

pollen distribution
 

- duster for mass pollination 46(4):118–125, Fall 1995

MT&DC project 46(2):36–45, Spring 1995

mist blower 38(4):3–5, Fall 1987

girdling to increase pollen production, loblolly pine  
38(3):33–35, Summer 1987

inventory monitoring system helps plan pest management 39(4):23–29, Fall 1988

**Seed pellets**

*Eucalyptus* raising in tropical nurseries 45(2):58–62, Spring 1994

**Seed production**

Pacific Northwest seed orchards 38(3):3–8, Summer 1987

*Pinus greggii*, natural stands, Mexico 46(3):86–92, Summer 1995

tamarack, phenotypic variation 42(3):18–22, Summer 1991

**Seed size**

*Hymenaea strobocarpa*, effect on seedling growth  
46(4):130–133, Fall 1995

slash pine, effect on growth 42(3):23–27, Summer 1991

**Seed sources**

fertilization requirements differ, Douglas-fir  
46(1):15–18, Winter 1995

hackberry in Great Plains 44(2):78–82, Spring 1993

hardwood root morphology affected 41(3):21–32, Summer 1990

loblolly pine, don't forget about 43(1):1–2, Winter 1992

longleaf pine, results of 5-year test 47(1):6–10, Winter 1996

- Seed sowing.** See also Direct seeding  
 black spruce, priming accelerates container stocking 43(1):11-13, Winter 1992  
 depth in container affects roots, Douglas-fir 44(3):122-124, Summer 1993  
 equipment  
   acorn seeder 42(3):16-17, Summer 1991  
   electronically controlled optical seeder 42(3):4-8, Summer 1991  
   MT&DC project 43(3):97-104, Summer 1992  
   progeny seeder 42(3):9-12, Summer 1991  
   pelletized seed 40(1):27-30, Winter 1989  
 germinants in containers 46(1):7-10, Winter 1995  
 loblolly pine  
   comparing 2 seeders 43(3):93-96, Summer 1992  
   time of, 53 southern nurseries 39(3):13-16, Summer 1988  
 longleaf pine  
   date affects field survival 42(3):28-31, Summer 1991  
   precision sower 41(4):33-38, Fall 1990  
 oak, blue and Valley, date affects performance 41(2):6-9, Spring 1990  
 recommendations based on history plots 38(3):9-15, Summer 1987  
 slash pine, rate and spacing 39(2):30-36, Spring 1988  
 sowing rate, calculation 44(1):19-20, Winter 1993; 44(2):49-52, Spring 1993
- Seed storage**  
 Cook pine, effect on germination 39(3):17-25, Summer 1988  
 quaking aspen 44(3):98-100, Summer 1993
- Seed testing**  
 float method, northern red oak acorns 46(4):143-147, Fall 1995  
 leachate conductivity, on 6 pines 42(2):41-44, Spring 1991  
 moisture determination, honeylocust and mimosa 43(3):72-75, Summer 1992
- Seed treatment**  
 Atlantic white-cedar, germination, stratification, viability 45(3):104-111, Summer 1994  
 black spruce, priming accelerates container stocking 43(1):11-13, Winter 1992  
 limba, scarification with hot water, bleach, acid 43(4):150-152, Fall 1992  
 pin cherry, stratification, temperature 38(3):30-32, Summer 1987  
 silverberry, stratification for optimal germination 41(1):24-25, Winter 1990  
 spin drying improves handling 45(1):32-35, Winter 1994

- Seed viability**  
 deterioration during storage and processing, black spruce 40(3):5-8, Summer 1989  
 leachate conductivity test on 6 pines 42(2):41-44, Spring 1991
- Seed yield**  
 collection date affects yield, sand pine 41(2):22-26, Spring 1990
- Seedbed coverings**  
 affect germination, growth, frost heaving of white spruce and lodgepole pine 41(4):13-16, Fall 1990  
 dispenser for top-dressing containers 42(2):56-61, Spring 1991  
 effect on ponderosa pine 38(1):11-13, Winter 1987  
 Geotech® at Westvaco 40(2):3-4, Spring 1989
- Seedbed density**  
 hardwood root morphology affected 41(3):21-32, Summer 1990  
 loblolly pine, 53 southern nurseries 39(3):13-16, Summer 1988  
 longleaf pine, affects field survival 42(3):28-31, Summer 1991  
 northern red oak and yellow-poplar, effects on seedlings 40(3):3-4, Summer 1989  
 yellow-poplar, effect on plantation performance 47(1):30-33, Winter 1996
- Seedling grading**  
 northern red oak, effect on survival 39(4):33-35, Fall 1988  
 slash pine, effect on plantation performance 42(3):23-27, Summer 1991
- Seedling growth and survival, in nurseries.** See also Plantation performance  
 black spruce, in worm-casting-amended soilless media 43(2):43-47, Spring 1992  
 Douglas-fir, in compost-sawdust sludge 38(2):22-27, Spring 1987  
 Douglas-fir, mycorrhizae inoculation effect 38(1):18-21, Winter 1987  
 Engelmann spruce, mycorrhizae inoculation effect 38(1):18-21, Winter 1987  
 extended photoperiod, effect on 7 conifers 44(3):105-112, Summer 1993  
 Fraser fir, cold storage effects, 2 seed sources 38(2):19-21, Spring 1987  
 limber pine, mycorrhizae inoculation effect 38(1):18-21, Winter 1987  
 loblolly pine, shading reduces growth 40(1):23-26, Winter 1989  
 lodgepole pine, mycorrhizae inoculation effect 38(1):18-21, Winter 1987  
 longleaf pine, shading reduces growth 40(1):23-26, Winter 1989

- noble fir, in compost-sawdust sludge 38(2):22-27, Spring 1987
- pecan, effect of termites 38(2):28-30, Spring 1987
- ponderosa pine, in compost-sawdust sludge 38(2):22-27, Spring 1987
- ponderosa pine, mycorrhizae inoculation effect 38(1):18-21, Winter 1987
- ponderosa pine, seed covering in nursery 38(1):11-13, Winter 1987
- slash pine bareroot nursery, level monitored 39(2):30-36, Spring 1988
- western larch, container type and watering regime effects 40(3):13-15, Summer 1989
- Seedling handling**
- container seedlings jellyrolled for transportation 47(3):105-109, Summer 1996
  - containerless transport of native plants 45(3):82-85, Summer 1994
  - mobile coolers 44(1):16-18, Winter 1993
  - performance after rough handling, white pine, white spruce, 45(4):142-146, Fall 1994
- Seedling morphology**
- loblolly pine, 53 southern nurseries 39(3):13-16, Summer 1988
  - tests to assess stock quality and plantation performance 44(3):113-121, Summer 1993
- Seedling quality**
- effect on field survival, ponderosa pine 47(1):16-23, Winter 1996
  - evaluation by shoot:root ratio 46(3):102-106, Summer 1995
  - quality control system, Forest Service nurseries 41(1):3-7, Winter 1990
  - tests to forecast plantation performance 44(3):113-121, Summer 1993
  - value of testing 47(2):45-46, Spring 1996
- Sequoia sempervirens.* See Redwood
- Sequoiadendron giganteum.* See Giant sequoia
- Shelterbelts.** See Windbreaks
- Shining gum**
- water improves survival 46(2):46-47, Spring 1995
- Shining sumac**
- allelopathic on loblolly pine 41(3):33-34, Summer 1990
- Short rotation forestry**
- comparison of alder, cottonwood, eucalyptus 38(4):27-30, Fall 1987
- Shortleaf pine**
- inventory monitoring system in seed orchard 39(4):23-29, Fall 1988
  - plantation performance, comparing stock types, root dips, mycorrhizae inoculation 41(2):13-21, Spring 1990
- seed germination, presowing treatments 44(2):58-62, Spring 1993
- Silverbell.** See Carolina silverbell
- Silverberry**
- seed treatment, stratification for optimal germination 41(1):24-25, Winter 1990
- Singleleaf pinyon pine**
- fertilization of container seedlings 42(1):27-33, Winter 1991
- Site preparation**
- herbicides, 7 tested, loblolly pine 39(2):10-12, Spring 1988
  - herbicides, screening of 3 pre-emergence on 6 species 39(2):13-18, Spring 1988
  - manual, performance of container seedlings 47(2):58-61, Spring 1996
  - mechanical
    - cable-yarder on steep slopes 38(1):6-10, Winter 1987
    - MT&DC project 43(3):97-104, Summer 1992; 46(2):36-45, Spring 1995
    - rips, seeding compared to planting 43(2):48-51, Spring 1992
    - scalpers, 2 on crawler-tractors 38(1):3-5, Winter 1987
    - scarifiers for shelterwoods 44(1):13-15, Winter 1993
    - species diversity, effect of 3 methods 41(4):39-42, Fall 1990
- Slash pine**
- control of southern cone rust with triadimefon 47(4):126-131, Fall 1996
  - plantation performance
    - comparing container, bareroot and seeding 45(2):63-67, Spring 1994
    - effect of seed and seedling size 42(3):23-27, Summer 1991
  - seedling growth and survival, bareroot nursery cultural regimes 39(2):30-36, Spring 1988
  - vegetative propagation from needle fascicles 43(3):67-71, Summer 1992
- Smilax**
- glaucia.* See Cat greenbrier
  - rotundifolia.* See Common greenbrier
- Soil amendments**
- effect of composted lime-treated horse manure on soil pH 40(1):31-33, Winter 1989
  - lime causes growth distortions in container seedlings 41(3):12-17, Summer 1990
  - worm-castings, growth of container black spruce 43(2):43-47, Spring 1992
- Soil sterilization.** See also Fumigants, soil alternatives to methyl bromide 44(3):87-90, Summer 1993; 45(2):43-47, Spring 1994

- management without methyl bromide 44(1):3–4, Winter 1993; 44(3):87–90; 47(3):85–86, Summer 1996
- mechanical incorporation of dazomet 45(2):53–57, Spring 1994
- mycorrhizae colonization effects, western redcedar 42(4):14–16, Fall 1991
- mycorrhizae deficiency, white spruce 38(1):22–23, Winter 1987
- Soil water**
- calculation for irrigation scheduling 41(4):22–27, Fall 1990
  - measurement using TDR 47(3):88–93, Summer 1996
- Somatic embryogenesis**
- technology comes of age 47(2):48–57, Spring 1996
- Sowing.** See Seed sowing; Direct seeding
- Spruce.** See individual species' common names
- Stock comparisons**
- black walnut, grafts, seed orchard and nursery-run seedlings 40(3):29–32, Summer 1989
  - loblolly and shortleaf pine, bareroot vs. container 41(2):13–21, Spring 1990
  - loblolly and slash pine, container, bareroot and seeding 45(2):63–67, Spring 1994
  - ponderosa pine, 1+0 and 2+0 43(4):153–158, Fall 1992
  - western larch, bareroot and container seedlings 40(4):20–24, Fall 1989
- Sugar maple**
- plantation performance, mine spoils 41(2):3–5, Spring 1990
- Sugar pine**
- blister rust control with triadimefon 43(1):7–10, Winter 1992
- Superabsorbent polymers**
- increase water-holding capacity in containers 38(1):24–25, Winter 1987
  - root dip improves survival, 8 species on mine spoil 43(4):159–162, Fall 1992
  - use as root dips 45(1):26–31, Winter 1994
- Sycamore**
- chemical treatment effects, cold-stored seedlings 38(1):26–30, Winter 1987
  - plantation performance, mine spoils 41(2):3–5, Spring 1990
- Tag alder**
- herbicides, screening 3 pre-emergence 39(2):13–18, Spring 1988
- Tamarack**
- cones and seeds, phenotypic variation 42(3):18–22, Summer 1991
- Taxodium distichum.*** See Baldcypress
- Terminalia superba.*** See Limba
- Thuja plicata.*** See Western redcedar
- Timber supply**
- establish plantations on pastureland 46(3):73–75, Summer 1995
  - need to replant in South 46(1):1–2, Winter 1995
- Tissue culture.** See Micropropagation
- Top pruning**
- blue oak container seedlings 44(2):73–77, Spring 1993
  - hardwoods, bareroot, review of literature 47(1):34–40, Winter 1996
  - slash pine, effects on seedlings 39(2):30–36, Spring 1988
  - yellow-poplar, effect on plantation performance 47(1):30–33, Winter 1996
- Transplanting**
- black spruce, from mini-plugs to paperpots 40(2):18–21, Spring 1989
- Tree improvement**
- Pacific Northwest, review and implications for nursery manager 38(3):3–8, Summer 1987
  - tropical American programs 43(4):125–132, Fall 1992; 43(4):133–141, Fall 1992
- Tree Planters' Notes**
- indexes
  - 1977–1986, Volumes 28–37 39(1):3–45, Winter 1988
  - 1987, Volume 38 39(4):3–15, Fall 1988
  - 1987, Volume 39 40(4):3–13, Fall 1989
  - 1987–1996, Volumes 38–47 47(4):133–172, Fall 1996
  - 1989–1990, Volume 40–41 43(1):17–24, Winter 1992
  - policies and procedures 42(3):1–2, Summer 1991; 43(4):107–108, Fall 1992; 44(1):5, Winter 1993; 44(2):45–46, Spring 1993; 45(2):39–40, Spring 1994; 45(3):79–80, Summer 1994; 45(4):113–114, Fall 1994; 46(3):76, Summer 1995; 46(4):113–114, Fall 1995; 46(4):115, Fall 1995; 47(1):3, Winter 1996; 47(2):46, Spring 1996; 47(4):117, Fall 1996
- Tree shakers**
- mechanical and helicopter, loblolly pine 39(2):19–21, Spring 1988
  - new techniques in older orchards 41(1):26–28, Winter 1990
- Tree shelters**
- enhance growth of northern red oak 45(4):137–141, Fall 1994
  - improve establishment on dry sites 45(1):13–16, Winter 1994
  - insects and diseases of oak 45(3):88–90, Summer 1994

**Tree-of-heaven**

- herbicides, screening 3 pre-emergence 39(2):13-18, Spring 1988  
 seed germination, stratification not required 41(2):10-12, Spring 1990

**Tropical forestry**

- auger to extract wood density samples 45(1):10-12, Winter 1994  
 forest dynamics, reforestation, seed handling and management 43(4):114-118, Fall 1992; 43(4):119-124, Fall 1992  
 plantation establishment techniques 43(4):125-132, Fall 1992; 43(4):133-141, Fall 1992  
 role of USDA Forest Service 43(4):109-111, Fall 1992  
 seed size effect on seedling growth, *Hymanea stilbocarpa* 46(4):130-133, Fall 1995  
 seed technology challenge 43(4):142-145, Fall 1992  
 seed treatment, limba, scarification with hot water, bleach, acid 43(4):150-152, Fall 1992  
 sowing pelletized *Eucalyptus* seed 45(2):58-62, Spring 1994  
 topic for *Tree Planters' Notes* 43(4):107-108, Fall 1992

*Tsuga heterophylla*. See Western hemlock

**Undercutting**

- fall mosaic in loblolly pine may be related 40(1):19-22, Winter 1989  
 improves hardwood root morphology 41(3):21-32, Summer 1990

**Valley oak**

- micropagation of shoots 41(2):27-30, Spring 1990  
 sowing date affects performance 41(2):6-9, Spring 1990

**Vegetative propagation**

- Atlantic white-cedar, cuttings 45(3):104-111, Summer 1994  
 baldcypress stem cuttings 44(3):125-127, Summer 1993  
 black willow, rooting success 39(4):30-32, Fall 1988  
 hybrid poplar, importance of cutting diameter on early growth 47(2):76-80, Spring 1996  
 jack pine, effect of crown position and plant age 47(3):100-104, Summer 1996  
 loblolly, slash and longleaf pine, from needle fascicles 43(3):67-71, Summer 1992  
*Paulownia*, fungicide increases sprouting 45(3):101-103, Summer 1994  
*Paulownia*, sprouting and growth 45(3):95-100, Summer 1994  
 pecan, grafting sweet pecan to bitter pecan rootstock 40(3):25-28, Summer 1989

**Rocky Mountain Douglas-fir stem cuttings**

- 41(3):3-6, Summer 1990

**Rocky Mountain juniper, from shoot tip cuttings**

- 47(3):94-99, Summer 1996

**Scouler willow, with IBA and NAA**

- 46(2):58-63, Spring 1995

**valley oak, micropagation of shoots**

- 41(2):27-30, Spring 1990

**yellow birch, rooting success**

- 39(2):37-42, Spring 1988

**yellow-poplar, longitudinal splitting technique**

- 38(4):10-13, Fall 1987

**Virginia pine**

- plantation performance, mine spoils 41(2):3-5, Spring 1990

**Walnut.** See individual species' common names**Water oak**

- seed germination, enhanced by seedcoat removal 43(2):52-53, Spring 1992

**Water**

- testing for contamination by *Phytophthora* 38(4):37-40, Fall 1987

**Water treatment**

- constructed wetland 44(3):93-97, Summer 1993

**Water uptake**

- root hydraulic conductance, eastern white pine 39(3):5-8, Summer 1988

**Weed control.** See also Herbicides

- hardwood germinants, DCPA/napropamide 44(4):149-153, Fall 1993

- hybrid poplars, combined mechanical-chemical program 43(3):81-86, Summer 1992

- loblolly pine, important for naturally seeded and container seedlings 45(4):128-136, Fall 1994

- loblolly pine, old fields, Arkansas 44(1):25-32, Winter 1993

- loblolly pine, seedlings treated with sulfometuron or hexazinone 45(4):116-120, Fall 1994

- lodgepole pine seedbeds, with oxyfluorfen 39(2):3-9, Spring 1988

- tropical forests, plantation establishment 43(4):125-132, Fall 1992; 43(4):133-141, Fall 1992

**Western hemlock**

- freezer storage practices 38(2):7-10, Spring 1987

**Western larch**

- Botrytis* reduction, vacuuming dead needles 43(2):30-32, Spring 1992

- container type and watering regime affect growth 40(3):13-15, Summer 1989

- plantation performance, comparison of stock types and season of planting 40(4):20-24, Fall 1989

**Western redcedar**

- animal damage control, BGR-P and garlic 46(1):4–6, Winter 1995
- mycorrhizae in containers and field 44(1):33–37, Winter 1993
- mycorrhizae in fumigated or nonfumigated beds 42(4):14–16, Fall 1991

**Western white pine**

- plantation performance, planting date effect on container seedlings 42(2):52–55, Spring 1991
- pollen yield estimation 46(2):64–69, Spring 1995

**Wetland**

- constructed wetland to treat wastewater, propagate plants 44(3):93–97, Summer 1993

**White fir**

- fir aphid control by 4 insecticides 41(4):8–12, Fall 1990

**White oak**

- nursery practices improve root morphology 41(3):21–32, Summer 1990

**White spruce**

- antitranspirants, 5 tested on container seedlings 41(1):34–38, Winter 1990
- damping off, comparison of treatments 41(1):29–33, Winter 1990
- mycorrhizae deficiency, stunting 38(1):22–23, Winter 1987
- plantation performance
  - not improved with root dip 41(3):18–20, Summer 1990
  - root pruning and wrenching effects 40(2):33–39, Spring 1989
- root pruning, effect on plantation performance 43(1):4–6, Winter 1992
- seed germination, effect of extended prechilling 38(4):6–9, Fall 1987
- seedbed coverings affect germination, growth, frost heaving 41(4):13–16, Fall 1990
- seedborne fungi, effect of prechilling 38(4):6–9, Fall 1987
- seedling handling, performance after rough handling 45(4):142–146, Fall 1994
- soil texture influences seedling water stress 43(2):39–42, Spring 1992

**Willow.** See individual species' common names

**Windbreaks**

- benefit potato yield in Australia 47(3):110–115, Summer 1996
- seedling growth and survival, caragana and green ash 42(1):36–39, Winter 1991
- test of 3 species in Australia 45(2):72–75, Spring 1994

**Wood density**

- auger sampling method in tropical hardwoods 45(1):10–12, Winter 1994

**Yellow birch**

- vegetative propagation, rooting success 39(2):37–42, Spring 1988

**Yellow-poplar**

- plantation performance, root collar diameter effects 47(1):30–33, Winter 1996
- seedbed density, effects on seedlings 40(3):3–4, Summer 1989
- vegetative propagation, longitudinal splitting technique 38(4):10–13, Fall 1987